



Be Smart. Be Safe. Be Sure.®

SAFETY PRODUCTS

EUROPEAN CATALOGUE

20 26





ABOUT SureWerx

BE SMART. BE SAFE. BE SURE.

Co-headquartered in Vancouver, British Columbia, and Elgin Illinois, SureWerx™ is a leading supplier of professional tool, equipment and safety products for workers. SureWerx markets its products in Canada under the JET®, Strongarm®, ITC®, STARTECH®, Pioneer®, Ranpro®, PeakWorks®, Jackson®, Wilson®, Curv-O-Mark®, Due North® and Sellstrom® brands, and in the United States under the American Forge & Foundry®, Pioneer®, PeakWorks®, Jackson®, Wilson®, Curv-O-Mark®, Due North®, Geroline/K1 and Sellstrom® brands. And now in Europe under our Jackson®, Sellstrom®, Due North®, Geroline/K1, Balder® and Curv-O-Mark® brands, SureWerx™ offers unparalleled access to its brands through its partner distributor network servicing the industrial, construction, safety, and automotive aftermarket in North America and Europe.

www.surewerx.com



"We want all of our distributor partners and the end users of our products to experience tangible value for the products and services we offer and we will continue to enhance that proposition vastly over the coming years"

— A message from our CEO, Chris Baby

Building a tool & equipment business

1957–2000

● Acquires Pioneer

● Acquires PeakWorks

● Acquires Sellstrom

● Acquires Ranpro

● Establishes STARTECH

● Acquires KP Industries

● Acquires Jackson Safety

● Acquires Wilson Brands

2009–today

2009

2014

2015

2016

2018

Building a health, safety and productivity business

OUR COMMITMENT TO THIS REGION

To bring a range of feature rich PPE products and services to our distributor partners in the industrial, automotive, safety, medical and food markets.

As we only sell our own brands we control the appropriate certification of the products and the quality of the manufacture.

Our new catalogue includes new 'exclusive' products in the following categories:

- **PAPR systems**
- **Welding helmets**
- **Auto Darkening Filters**
- **Welding blankets**
- **Tools**
- **Arc flash protection**
- **Fall protection**
- **Head, face and eye protection**
- **Knee protection**
- **Slip protection**

OUR FUTURE COMMITMENT TO THE REGION

- Continue to bring new 'exclusive' certified products to the markets.
- Invest in the systems, processes and people to deliver the best customers experience.
- Invest in your businesses with training and Marketing support.

EMEA

Europe, Middle East and Africa

JACKSON
SAFETY

FS
FALL SAFE

OBERON™

sellstrom®

CURV-0-MARK®

dn
duenorth

KI
SERIES

NEOS

MEGA
COMFORT

www.surewerx.eu



● Acquires ADA Solutions

● Acquires Due North

● Acquires Geroline

● Acquires Footwear Specialties International (FSI)

● Acquires MegaComfort

● Acquires Neos Overshoe

● Acquires Oberon

● Acquires Fall Safe

● Acquires Engineered Plastics and Kinesic

2019

2020

2022

2024

YOUR BEST WORK YET ● ● ● NEEDS YOUR TOTAL FOCUS

The safety and productivity of every professional worker is our goal. Our mission is to design products that deliver on this goal. We are always finding better ways help increase worker productivity and safety.



Every day 100's of professional workers are injured at work - industrial accidents are avoidable.



Our goal is to ensure that you return home, after a safe and productive day at work, in the same healthy condition as you went to work.



Legislation and regulation continue to increase safety at work and all of our products will meet or exceed the necessary levels.



We also work to ensure that all of our distributors receive product knowledge training to ensure they provide the right product for the right application. We are committed to understanding the needs of the professional end users.



When workers are confident that their PPE is designed with their health and safety in mind they can concentrate on the job at hand, achieving maximum productivity.

ACCIDENTS

INJURIES


RISK

Reduce ● ● ●





Increase ● ● ● ●



HEALTH
SAFETY
PRODUCTIVITY
Finding a better way



Be Smart. Be Safe. Be Sure.®

YOUR BEST WORK YET

12

WELDING PROTECTIVE EQUIPMENT

78

PERSONAL PROTECTIVE EQUIPMENT

NEEDS THE RIGHT PRODUCT FOR THE RIGHT APPLICATION

	Page
PAPR Half Mask	16-17
PAPR Welding Helmets	18-31
PAPR Face Shield	32-37
Welding Helmets	46-61
Laser Welding Protection	62-63
Welding Filters	64-68
Welding Blankets	70-71
Curv-O-Mark Tools	72-77
Arc Flash Protection	78-83
Face Shields	86-91
Goggles	92-95
Glasses	96-99
Fall Protection	102-103
Hearing Protection	104-105
Knee Protection	106-107
Slip Protection	108-109
Product Index	112-113
Warranty Table	114

MARKET FOCUS

INDUSTRIAL	CONSTRUCTION	METAL FABRICATION	AUTOMOTIVE	ELECTRICITY	WORK AT HEIGHT	AGRICULTURE	FOOD PROCESSING	MEDICAL

✓	✓	✓	✓			✓		
✓	✓	✓	✓			✓		
✓	✓	✓	✓			✓		
✓	✓	✓	✓	✓				
✓	✓	✓	✓		✓	✓	✓	✓
✓	✓	✓	✓		✓	✓		
✓	✓	✓	✓			✓	✓	✓
✓	✓	✓	✓			✓		
✓	✓	✓	✓			✓		

PPE REGULATION



JACKSON

THERE ARE 3 CATEGORIES OF PPE

PPE CATEGORY I

MINOR RISKS

Minimal risks with quickly disappearing side effects. No permanent health risks.

Marking:



European/UK conformity

PPE CATEGORY II

CONSIDERABLE RISKS

Potentially irreversible health risks, but not lethal.

Not part of Cat. I. or Cat. III.

Marking:



European/UK conformity

PPE CATEGORY III

HIGH & LETHAL RISKS

Risks that may cause very serious consequences such as death or irreversible damage to health.


Marking:



European/UK conformity

'xxxx' - Identification number of the body involved in assessment of production control (module C2) or quality assurance (module D) system

WELDING PROTECTION



EN 166 - Personal eye protection, EN 169 - Welding filters, EN 175 - Welding helmets, ISO 16321-1/2 EN 207 - Laser Eye-Protectors, EN 379 - Automatic welding filters, EN 12941 - Respiratory protectors - PAPR (Powered Air Purifying Respirator)

PPE REGULATION

ARC FLASH PROTECTION

Face Shield &
Hood



GS-ET-29


EN 166

EN 170



Coat &
Overalls

IEC 61482-2



EYE & FACE PROTECTION

Face Shields



EN 166

EN 169

EN 171

Glasses &
Goggles




EN 166

EN 169

EN 170

EN 172



EN 166 - Personal eye protection, EN 169 - Welding filters, EN 170 - Ultraviolet filters, EN 171 - Infrared filters, EN 172 - Sunglare filters, GS-ET-29 - Face shields for electrical work, IEC 61482-2 - Protective Clothing against Thermal Arc Hazards of an Electric Arc

GENERAL PPE

Earplugs



EN 352-2

Knee Pads



EN 14404

Traction Aids



Issue of CE certificate based on the assessment of Notified Body of compliance with the Essential Health and Safety Requirements of PPE Regulation (EU) 2016/425.

FALL PROTECTION

Hard Hats

EN 397

EN 50365

Harness

EN 358

EN 361

EN 813

Lanyards

EN 354

EN 355

EN 358

Ropes



EN 1891

EN 397 - Industrial Safety Helmets - Hard hats, EN 50365 - Electrically insulating helmets (for use on low voltage installations), EN 352-2 - Hearing protectors - Ear plugs, EN 14404 - Knee protectors, EN 354 - Personal fall protection equipment - Lanyards, EN 355 - Personal protective equipment against falls from a height - Energy absorbers, EN 358 - Personal protective equipment for work positioning and prevention of falls from a height - Belts and lanyards for work positioning or restraint, EN 361 - Personal protective equipment against falls from a height - Full body harnesses, EN 813 - Personal fall protection equipment - Sit harnesses, EN 1891 - Personal protective equipment for prevention of falls from a height - Low stretch kernmantel ropes

RESPIRATORY PROTECTION PPE

YOUR HEALTH MATTERS



Health hazards associated with welding processes typically include exposures to ultraviolet (UV) radiation and intense visible light that have the potential to cause eye damage. Physical eye hazards include welding spatter and grinding particles. Professional welders know about these hazards and provide protection with welding helmets and auto-darkening welding filters.



But other hazards – like **welding fumes, which contain particles** – are sometimes not as well known and may not be addressed. Prolonged exposure to welding fumes can lead to cancer of the lung, larynx and urinary tract, as well as nervous system and kidney damage.

REDUCE EXPOSURE TO HAZARDS

Understand the risks

Identify the hazard - metal fumes, gases, vapours, mist, dust.
The selection of respiratory protection should be the result of the **risk assessment** conducted by a professional health and safety officer.

Maintain clean surfaces

Welding surfaces should be cleaned of any coating that could potentially result in toxic exposure levels.

Avoid breathing fume and gases

Position yourself to avoid breathing fume and gas, for example, stay upwind of welding fumes when working in open or outdoor areas. Be aware that welding outdoors or in open work environments does not guarantee safe ventilation.

Use general or local ventilation

PAPR is not suitable for work in poorly ventilated areas where oxygen level is suspected to be below 17%.

Ventilation can reduce fume and gas levels in the work area and remove fume and gases from the welder's breathing zone.

Wear respiratory protection

Chose the right respiratory protection and reduce exposures to safe levels.

Metal fumes



Fine, airborne particles from metal generated by condensation of vaporized material at high temperatures.

Gases




A normally formless fluid, often odourless and invisible, can spread freely and quickly through the air.

Vapours



Gases formed when solids or liquids evaporate at room temperatures.

Mist



Tiny liquid droplets generated by condensation or by breaking up a liquid into the dispersed state, in processes such as spraying.

Dust



Particulate matter formed when solid matter is broken down into fine, airborne particles. In welding about 95% is particle filtration.

PROTECTION CLASSIFICATION

TH1

TH2


TH3

inward leakage max. 10%	inward leakage max. 2%	inward leakage max. 0.2%
NPF = 10	NPF = 50	NPF = 500

NPF - Nominal Protection Factor

Based on EN 12941

Awareness is the first step in controlling hazards. Investing in the right personal protective equipment creates a healthier, safer and more productive workplace.



**HEALTH
SAFETY
PRODUCTIVITY**
Finding a better way

PAPR SYSTEMS

HEADTOPS

HALF MASK

● ● ●
HALF MASK



NEW

WELDING HELMETS

● ● ●
WH25 DUO



● ● ●
280 SERIES



● ● ●
TRANSLIGHT
355



● ● ●
TRANSLIGHT
FLIP 455



AIRMAX

TH3



AIRMAX+

TH3



AIRMAX+

TH3



AIRMAX+

TH3



NEW

TM3

AIRMAX HM



HALF MASK WILL FIT UNDER ANY
STANDARD WELDING HELMET OR FACE SHIELD

PAPR SYSTEMS

OPTIONAL

ACCESSORIES



BACKPACK



FR RESISTANCE

COMPATIBLE WITH ALL ABOVE
PAPR SYSTEMS



BELT WITH
LEATHER STRAPS
AND HARNESS

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

NEW

Jackson Safety® PAPR Half Mask

AIRMAX® HM

PAPR System with Half Mask

Unit contains battery charger, battery, waist belt, hose, HEPA Filter, Pre-Filter and half mask (odour removing filter sold separately)

PAPR HALF MASK

JACKSON®

SAFETY

**REDUCED FLOW RATE
- FIELD TESTED
AIRMAX BLOWER
ADAPTED FOR HALF
MASK USE***



APPLICATIONS

Can be used in construction environment with high Silica dust content



Fits under face shields and welding helmets; can be used with hard hats, earplugs, glasses and goggles

AVAILABLE SIZES

S/M

M/L

FACE FIT
REQUIRED

**Note – cannot be used with DUO headtop*

Particle Protection

TM3

Airflow

120 lpm

Charging time

5 hrs

Operation time

9 hrs

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu

- New custom flexible hose - FR hose cover available
- Positive pressure air feed reduces worker fatigue
- Unique blower/hose attachment that prevents other head-tops being connected
- Audible Filter Alarms to inform when filters need changing or low battery
- Silicon material creates a softer more ergonomic feel on the users face
- Compact design to ensure this can be used under most welding helmets and face shields
- Extra layer of security: Hose and half mask can not be separated due to additional 'neck-gripper'
- Replacement filter available
- Can be worn with backpack



CE
1024

EN 12942:1998+A2:2008 TM3 P R SL

AIRMAX HM PAPR SYSTEM

Product No	Description	Case Qty/MOQ
46311	Airmax HM PAPR System (Blower, belt, battery, battery charger, test tube, filter)	1
46313	Half mask with hose and hose connector, size S/M	1
46314	Half mask with hose and hose connector, size M/L	1

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
46312	Airmax HM PAPR Blower motor only	1
46315	Half Mask fit test kit	1
J7210	AIRMAX Welding P3 PAPR Filter	6
J7067	AIRMAX Welding PAPR Charger	1
J7068	AIRMAX Welding PAPR 4C Battery	1
J7069	AIRMAX Welding PAPR Waist Belt	1

Jackson Safety® PAPR Welding

AIRMAX® with DUO

PAPR WELDING

PAPR System with Welding Helmet

Unit contains battery charger, battery, waist belt, hose, HEPA Filter, Pre-Filter and PAPR welding helmet with ADF (odour removing filter sold separately)



**INDUSTRY PROVEN
SINGLE SPEED
BLOWER MOTOR**



LIGHTWEIGHT



**EXTERNAL
GRIND BUTTON**

Quick changes
between modes



EASY TO OPERATE

Particle Protection

TH3

Airflow

170 - 210 lpm

Charging time

5 hrs

Operation time

9 hrs

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu

- **TH3 P R SL** best in class (see table opposite)
- Air flow: **170 to 210 lpm**
- **Audible Filter Alarms** to inform when filters need changing or low battery
- Operation time up to **9 hours**
- **Light weight 990g** (blower unit, battery and filter)
- P3 filter with increased surface area
- Easy to operate
- Replaceable and rechargeable 4 cell Li-ion battery 7.4V/5200mAh. Charging time: 5 hours
- Replacement filter available
- Fitted with **flame retardant supporting belt** and **hose cover** for prolonged operational time
- Noise level 75dBA
- Unit is CE Certified

- Optical classes 1/1/1/2
- 110 x 90 mm cartridge size, 92 x 41 mm viewing area
- Shade range 9-13, sensitivity and delay adjustment, grinding mode
- External shade adjustment
- Positive click mode to grind
- ADF warranty: 1 year



More details about the WH25 DUO welding helmet on page 50.

EN 12941:1998+A1:2003+A2:2008
TH3 P R SL

AIRMAX PAPR SYSTEM

Product No	Description	Case Qty/MOQ
J7050	AIRMAX PAPR System with Duo Welding Helmet 4/9-13 ADF - Single Speed	4

SPARE PARTS & ACCESSORIES


Product No	Description	Case Qty/MOQ
J7051	WH25 DUO PAPR Welding Helmet with 4/9-13 ADF	1
J7063	AIRMAX Welding PAPR FR Hose & Cover	1
J5241	AIRMAX Welding PAPR FR Hose Cover	1
J7065	AIRMAX Welding PAPR Motor	1
J7210	AIRMAX Welding P3 PAPR Filter	6
J7067	AIRMAX Welding PAPR Charger	1
J7068	AIRMAX Welding PAPR 4C Battery	1
J7069	AIRMAX Welding PAPR Waist Belt	1
40391	PAPR Carrying Bag - optional extra	1
J7061	WH25 DUO PAPR Faceseal	1
J7060	WH25 DUO PAPR Sweatband	2
J7062	WH25 DUO PAPR Head Gear	1

Jackson Safety® PAPR Welding

AIRMAX+ with 280 SERIES

PAPR System with Welding Helmet

Unit contains battery charger, battery, waist belt, hose, HEPA Filter, Pre-Filter and PAPR welding helmet (odour removing filter sold separately)



SUPER KOOL™
HIGH TEMPERATURE PAINT COATING



LIGHTWEIGHT

Maximum comfort and safety



EXTREMELY DURABLE

Molded from Super Tuff nylon



VERSATILITY

Lift front with mineral glass Shade 10



INCLUDING **SPARK ARRESTOR**

Particle Protection

TH3

Adjustable airflow

170 - 240 lpm

Charging time

5 hrs

Operation time

10 hrs

Ingress Protection

IP

5

4

- **TH3** Particle Protection (Highest Possible Rating)
- **8 different** blower speed settings, adjustable airflow from 170 to 240 lpm (**10 lpm Increment**)
- **IP 54** Certified
- **Vibration** and **Filter Alarms** to inform when filters need changing or low battery
- Comes with **HD 4 Cell Li-ion Battery 7.4V/5200mAh**. Charging time: 5 hours
- Operation time up to **10 hours** with a new filter P R SL and airflow 170 l/min
- In combination with 280 Series 'Bucket style' welding helmet
- Unit is CE Certified

- 280 Series welding helmet has been an industry leader for decades
- Made in the USA, the 280 Series is a traditional bucket style welding helmet
- Molded from **Super Tuff nylon** – lighter than fiberglass and extremely durable
- Patented **Sel-Snap lens retention system** provides easy loading of filter, cover and protective plates
- Lift front comes standard with spring loaded positive lock feature
- Our proprietary **SUPER KOOL SILVER COATING** keeps the helmet **30% cooler** than standard helmets and sheds spatter without burning
- Provides maximum operator comfort and safety
- Sellstrom's patented **"quick-release"** ratchet headgear suspension with sweatband included
- Specially designed shape for use with cartridge respirators



More details about the 280 Series welding helmet on page 46.



EN 12941 TH3 P R SL 1024

AIRMAX+ with 280 SERIES PAPR SYSTEM

Product No	Description	Case Qty/MOQ
40421	AIRMAX+ PAPR with 280 Series Welding Helmet	4

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
40340	FR Hose with cover, 85 cm	1
40540	FR Hose cover, 85 cm	1
40381	AIRMAX+ Blower unit - 8 Speed	1
40332	HEPA PAPR filter	6
40363	PAPR charger	1
40353	Replacement 4-Cell 7.4V Battery	1
40371	Replacement Waist belt	1
40311	Replacement Pre-filters	10
40312	Odour removing filter	10
47421	280 Series PAPR Complete Head Top (No hose)	1
40367	Mineral glass Shade 10, 108 x 51 mm	25
J7260	PAPR Headgear	5
40313	Spark arrestor	5
J5250	Face Seal	5
40391	PAPR Carrying Bag	1
40368	FR Comfort Backpack for PAPR blower	1
40369	FR Comfort belt with leather straps and harness	1

Jackson Safety® PAPR Welding

AIRMAX+ with TRANSLIGHT™ 355

PAPR WELDING

PAPR System with Welding Helmet

Unit contains battery charger, battery, waist belt, hose, HEPA Filter, Pre-Filter and PAPR welding helmet with ADF (odour removing filter sold separately)



**ULTRA SLIM
TRUE COLOR ADF WITH
1/1/1/1 OPTICAL RATING**

**INCLUDING
SPARK
ARRESTOR**



LIGHTWEIGHT

521 g

Welding Helmet with ADF



EXTERNAL

GRIND BUTTON

Quick changes between modes



OUTER LENS

1.5 mm THICKNESS

Greater impact & heat resistance



**INTEGRATED
AIR SYSTEM**

Control of air supply to
upper or
lower part of helmet



370™
SPEED DIAL

**TRANSLIGHT™
SERIES**

Particle Protection

TH3

Adjustable airflow

170 - 240 lpm

Charging time

5 hrs

Operation time

10 hrs

Ingress Protection

IP

5

4

- **TH3** Particle Protection (Highest Possible Rating)
- **8 different** blower speed settings, adjustable airflow from 170 to 240 lpm (**10 lpm Increment**)
- **IP 54** Certified
- **Vibration** and **Filter Alarms** to inform when filters need changing or low battery
- Comes with **HD 4 Cell Li-ion Battery 7.4V/5200mAh**. Charging time: 5 hours
- Operation time up to **10 hours** with a new filter P R SL and airflow 170 l/min
- In combination with Translight 355 welding helmet - featuring **ultra slim true color ADF** with **external mode control**
- Unit is CE Certified

- Translight 355 Series is super-lightweight with a sleek, modern design and look
- Auto Darkening Filter meets **1/1/1/1 Optical Clarity Standard**, the highest in the industry
- ADF contains external grind button for quick changes between modes
- Welding, Grinding, Cutting modes included
- Includes patented **370 Speed Dial** ratcheting headgear system
- Switching speeds of 0.25 ms
- Solar & Lithium Batteries (CR2032)
- 4 sensor technology for optimal performance
- Outer lens at 1.5 mm thickness



More details about the Translight 355 welding helmet on page 54.



EN 12941 TH3 P R SL 0082

AIRMAX+ with TRANSLIGHT 355 PAPR SYSTEM

Product No	Description	Case Qty/MOQ
40040	AIRMAX+ PAPR with Translight 355 Welding Helmet	4

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
40341	FR Hose with cover, 105 cm	1
J5241	FR Hose cover, 105 cm	1
40381	AIRMAX+ Blower unit - 8 Speed	1
40332	HEPA PAPR filter	6
40363	PAPR charger	1
40353	Replacement 4-Cell 7.4V Battery	1
40371	Replacement Waist belt	1
40311	Replacement Pre-filters	10
40312	Odour removing filter	10
40313	Spark arrestor	5
40100	Translight 355 shell with Face Seal and Airduct	1
47010	Translight 355 PAPR helmet with ADF	1
40200	Translight 355 PAPR Face Seal	1
40391	PAPR Carrying Bag	1
J8570	375 PAPR head gear	1
J5237	370 sweat band	2
40368	FR Comfort Backpack for PAPR blower	1
40369	FR Comfort belt with leather straps and harness	1

Jackson Safety® PAPR Welding

AIRMAX+ with TRANSLIGHT™ FLIP 455

PAPR WELDING

PAPR System with Welding Helmet

Unit contains battery charger, battery, waist belt, hose, HEPA Filter, Pre-Filter and PAPR welding helmet with ADF (odour removing filter sold separately)



**EXTRA LARGE
FACE SHIELD FOR
GRINDING OPERATIONS**

**INCLUDING
SPARK
ARRESTOR**



FLIP-UP

WELDING - GRINDING

Easy-to-use lift mechanism



**EXTRA-LARGE
FACE SHIELD**

Superior peripheral vision



OUTER LENS


1.5 mm THICKNESS

Greater impact & heat
resistance



**INTEGRATED
AIR SYSTEM**

Control of air supply to
upper or
lower part of helmet



370™
SPEED DIAL

**TRANSLIGHT™
SERIES**

Particle Protection

TH3

Adjustable airflow

170 - 240 lpm

Charging time

5 hrs

Operation time

10 hrs

Ingress Protection


IP

5

4

- **TH3** Particle Protection (Highest Possible Rating)
- **8 different** blower speed settings, adjustable airflow from 170 to 240 lpm (**10 lpm Increment**)
- **IP 54** Certified
- **Vibration** and **Filter Alarms** to inform when filters need changing or low battery
- Comes with **HD 4 Cell Li-ion Battery 7.4V/5200mAh**. Charging time: 5 hours
- Operation time up to **10 hours** with a new filter P R SL and airflow 170 l/min
- Breathing hose with flame retardant cover - protection from sparks and spatter
- Large controls - Easy to use with oversized gloves
- In combination with Translight 455 welding helmet - Easy-to-use lift mechanism reveals a 297 sq. cm clear extra-large polycarbonate face shield for grinding operations
- Unit is CE Certified

- Flip system ensures maximum safety – provides uninterrupted face protection when switching from welding to grinding operations
- High quality **True Color ADF** provides a full **60 square cm** viewing area
- Features an extra-large face shield which provides superior peripheral vision
- Welding, grinding, cutting modes functions are standard features
- 4 sensor technology for optimal performance
- Auto-darkening filter meets **1/1/1/1 optical clarity** standard, the highest in the industry
- Includes patented **370 Speed Dial** ratcheting head-gear system
- Switching speeds of 0.1 ms
- Welding helmet with Mineral glass Shade 10 available as custom order



More details about the Translight Flip 455 welding helmet on page 56.



EN 12941 TH3 P R SL 0082

AIRMAX+ with TRANSLIGHT FLIP 455 PAPR SYSTEM

Product No	Description	Case Qty/MOQ
40041	AIRMAX+ PAPR with Translight Flip 455 Welding Helmet	4

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
40341	FR Hose with cover, 105 cm	1
J5241	FR Hose cover, 105 cm	1
40381	AIRMAX+ Blower unit - 8 Speed	1
40332	HEPA PAPR filter	6
40363	PAPR charger	1
40353	Replacement 4-Cell 7.4V Battery	1
40371	Replacement Waist belt	1
40311	Replacement Pre-filters	10
40312	Odour removing filter	10
40313	Spark arrestor	5
40101	Translight Flip 455 shell with Face Seal and Airduct	1
47011	Translight Flip 455 PAPR helmet with ADF	1
40201	Translight Flip 455 PAPR Face Seal	1
40391	PAPR Carrying Bag	1
J8570	375 PAPR head gear	1
J5237	370 sweat band	2
40368	FR Comfort Backpack for PAPR blower	1
40369	FR Comfort belt with leather straps and harness	1

Jackson Safety® PAPR Welding

AIRMAX+ with TRANSLIGHT™+ 555

PAPR WELDING

PAPR System with Welding Helmet

Unit contains battery charger, battery, waist belt, hose, HEPA Filter, Pre-Filter and PAPR welding helmet with ADF (odour removing filter sold separately)



**EXTRA LARGE
VIEWING AREA**
98 x 82 mm



**INCLUDING
SPARK
ARRESTOR**



EXTERNAL

**SHADE MICRO
ADJUSTER**

Micro adjust to
eye & environment



EXTERNAL

GRIND BUTTON

Quick changes between modes



OUTER LENS


1.5 mm THICKNESS

Greater impact & heat
resistance



**INTEGRATED
AIR SYSTEM**

Control of air supply to
upper or
lower part of helmet



370™
SPEED DIAL

TRANSLIGHT™
SERIES

Particle Protection

TH3

Adjustable airflow

170 - 240 lpm

Charging time

5 hrs

Operation time

10 hrs

Ingress Protection

IP

5

4

- **TH3** Particle Protection (Highest Possible Rating)
- **8 different** blower speed settings, adjustable airflow from 170 to 240 lpm (**10 lpm Increment**)
- **IP 54** Certified
- **Vibration** and **Filter Alarms** to inform when filters need changing or low battery
- Comes with **HD 4 Cell Li-ion Battery 7.4V/5200mAh**. Charging time: 5 hours
- Operation time up to **10 hours** with a new filter P R SL and airflow 170 l/min
- In combination with Translight 555 welding helmet - featuring **extra large 98 x 82 mm viewing area** and **innovative external adjuster**
- Unit is CE Certified

- Translight™ shell has a sleek modern design
- Helmet is lightweight & ergonomically balanced to reduce stress & fatigue
- Auto Darkening Filter meets **1/1/1/1 Optical Clarity** standard, the highest in the industry
- Includes an external grind button, so end users can switch modes with ease
- Features the new external shade adjuster to help aid in visual focus
- The new shade adjuster can finely tune shades up to +/- 1 full shade with .2 shade adjusting increments
- Welding, Grinding and Cutting can be done with this versatile ADF
- Includes patented **370 Speed Dial** ratcheting headgear system
- Advanced digital controls are a great QOL enhancement for welders
- Switching speeds of 0.2 ms



40043



TIG
- GTAW -
> 5 Amp

MMA
- SMAW -

PWA

MIG/MAG
- GMAW -

GRINDING

More details about the Translight+ 555 welding helmet on page 58.

EN 12941 TH3 P R SL  0082

AIRMAX+ with TRANSLIGHT+ 555 PLUS PAPR SYSTEM

Product No	Description	Case Qty/MOQ
40043	AIRMAX+ PAPR with Translight+ 555 Welding Helmet	4

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
40341	FR Hose with cover, 105 cm	1
J5241	FR Hose cover, 105 cm	1
40381	AIRMAX+ Blower unit - 8 Speed	1
40332	HEPA PAPR filter	6
40363	PAPR charger	1
40353	Replacement 4-Cell 7.4V Battery	1
40371	Replacement Waist belt	1
40311	Replacement Pre-filters	10
40312	Odour removing filter	10
40313	Spark arrestor	5
40103	Translight+ 555 shell with Face Seal and Airduct	1
47013	Translight+ 555 PAPR helmet with ADF	1
40203	Translight+ PAPR Face Seal	1
40391	PAPR Carrying Bag	1
J8570	375 PAPR head gear	1
J5237	370 sweat band	2
40368	FR Comfort Backpack for PAPR blower	1
40369	FR Comfort belt with leather straps and harness	1

NEW

Jackson Safety® PAPR Welding

AIRMAX+ with WH70

PAPR System with Welding Helmet

Unit contains battery charger, battery, waist belt, hose, HEPA Filter, Pre-Filter and PAPR welding helmet with ADF (odour removing filter sold separately)

JACKSON®

SAFETY



AERODYNAMIC DESIGN FOR BETTER FUME DEFLECTION AND A SMOOTH ROUNDED PERIMETER FOR INCREASED COMFORT



EXTERNAL

GRIND BUTTON

Quick changes between modes



LARGE

VIEWING AREA

96 x 68,5 mm




FRONT LOADED

QUICK & EASY

Protective lenses and ADFs are easily removed to be replaced or cleaned



INTEGRATED AIR SYSTEM



- Left and right air duct allows air flow away from the eyes to prevent dryness
- Adjustable direction of air flow

370™
SPEED DIAL

INCLUDING SPARK ARRESTOR



Particle Protection

TH3

Adjustable airflow

170 - 240 lpm

Charging time

5 hrs

Operation time

10 hrs

Ingress Protection

IP

5

4

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu

- **TH3** Particle Protection (Highest Possible Rating)
 - **8 different** blower speed settings, adjustable airflow from 170 to 240 lpm (**10 lpm Increment**)
 - **IP 54** Certified
 - **Vibration** and **Filter Alarms** to inform when filters need changing or low battery
 - Comes with **HD 4 Cell Li-ion Battery 7.4V/5200mAh**. Charging time: 5 hours
 - Operation time up to **10 hours** with a new filter P R SL and airflow 170 l/min
 - In combination with WH70 welding helmet
 - Unit is CE Certified
- Protective lenses and ADFs are easily removed to be replaced or cleaned
 - Large viewing area 96 x 68.5 mm
 - Lightweight, 399 g w/o ADF



More details about the WH70 welding helmet on page 60.



EN 2941:1998+A1:2003+A2:2008 TH3 P R SL



AIRMAX+ with WH70 PAPR SYSTEM

Product No	Description	Case Qty/MOQ
40570	AIRMAX+ PAPR with WH70 Welding Helmet	4

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
40341	FR Hose with cover, 105 cm	1
J5241	FR Hose cover, 105 cm	1
40381	AIRMAX+ Blower unit - 8 Speed	1
40332	HEPA PAPR filter	6
40363	PAPR charger	1
40353	Replacement 4-Cell 7.4V Battery	1
40371	Replacement Waist belt	1
40311	Replacement Pre-filters	10
40312	Odour removing filter	10
40313	Spark arrestor	5
40557	WH70 PAPR Welding Helmet, with ADF, 370 headgear and hose	1
J5229	WH70 BH3 AIR PAPR for EXT ADF	1
J9933	Flexi face seal	1
J9935	Hose holder	1
J9934	Washer set	1
40391	PAPR Carrying Bag	1
J8570	375 PAPR head gear	1
J5237	370 sweat band	2
40368	FR Comfort Backpack for PAPR blower	1
40369	FR Comfort belt with leather straps and harness	1

NEW

PAPR LASER WELDING

JACKSON
SAFETY

Jackson Safety® PAPR Laser Welding

AIRMAX+ with LP80

PAPR System with Laser Welding Helmet

Unit contains battery charger, battery, waist belt, hose, HEPA Filter, Pre-Filter and PAPR laser welding helmet with ADF (odour removing filter sold separately)

D LB7



LASER LIGHT
PROTECTION LEVEL
950-1100 nm wave length



NEW

**ERGONOMIC
HEADGEAR**


Large, soft, and
well-ventilated back rest



Protects face, forehead
and ears from welding
sparks, splashes and
stray laser radiation

370
SPEED DIAL


**INTEGRATED
AIR SYSTEM**



- Left and right air duct allows air flow away from the eyes to prevent dryness
- Adjustable direction of air flow



INCLUDING
**SPARK
ARRESTOR**



Particle Protection

TH3

Adjustable airflow

170 - 240 lpm

Charging time

5 hrs

Operation time

10 hrs

Ingress Protection

IP

5

4

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu

- **TH3** Particle Protection (Highest Possible Rating)
- **8 different** blower speed settings, adjustable airflow from 170 to 240 lpm (**10 lpm Increment**)
- **IP 54** Certified
- **Vibration** and **Filter Alarms** to inform when filters need changing or low battery
- Comes with **HD 4 Cell Li-ion Battery 7.4V/5200mAh**. Charging time: 5 hours
- Operation time up to **10 hours** with a new filter P R SL and airflow 170 l/min
- In combination with LP80 laser welding helmet
- Unit is CE Certified
- ADF - 1/1/1/1 Optical Clarity with large viewing area 96 x 68,5 mm
- Shade range 4/6-8/9-13
- Excellent switching speeds of 0,15 ms
- Weight approx. 840 g (total helmet)
- Solar cells + 2x Lithium battery (batteries are external and exchangeable)



More details about the LP80 welding helmet on page 62.



EN 2941:1998+A1:2003+A2:2008 TH3 P R SL



LASER



TIG
- GTAW -



MMA
- SMAW -



PWA



MIG/MAG
- GMAW -



GRINDING

AIRMAX+ with LP80 PAPR SYSTEM

Product No	Description	Case Qty/MOQ
40580	Airmax+ PAPR System with LP80 Laser Welding Helmet	4

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
40341	FR Hose with cover, 105 cm	1
J5241	FR Hose cover, 105 cm	1
40381	AIRMAX+ Blower unit - 8 Speed	1
40332	HEPA PAPR filter	6
40363	PAPR charger	1
40353	Replacement 4-Cell 7.4V Battery	1
40371	Replacement Waist belt	1
40311	Replacement Pre-filters	10
40312	Odour removing filter	10
40313	Spark arrestor	5
40558	LP80 PAPR Welding Helmet, with Laser ADF, Al shield, premium headgear and hose	1
J9933	Flexi face seal	1
J9934	Washer set	1
40391	PAPR Carrying Bag	1
40593	Premium headgear	1
40595	Sweatband for premium headgear	2
40368	FR Comfort Backpack for PAPR blower	1
40369	FR Comfort belt with leather straps and harness	1

Jackson Safety® PAPR Face Shield

AIRMAX+ with F50

PAPR FACE SHIELD

PAPR System with Face Shield

Unit contains battery charger, battery, waist belt, hose, HEPA Filter, Pre-Filter and PAPR face shield (odour removing filter sold separately)



RESPIRATORY PROTECTION DURING GRINDING AND OTHER INDUSTRIAL TASKS



LARGE

VIEWING AREA

225 x 144 mm



OPTIMUM SAFETY

B

Rated impact resistance

INCLUDING SPARK ARRESTOR



Particle Protection

TH3

Adjustable airflow

170 - 240 lpm

Charging time

5 hrs

Operation time

10 hrs

Ingress Protection

IP

5

4

- **TH3** Particle Protection (Highest Possible Rating)
- **8 different** blower speed settings, adjustable airflow from 170 to 240 lpm (**10 lpm Increment**)
- **IP 54** Certified
- **Vibration** and **Filter Alarms** to inform when filters need changing or low battery
- Comes with **HD 4 Cell Li-ion Battery 7.4V/5200mAh**. Charging time: 5 hours
- Operation time up to **10 hours** with a new filter P R SL and airflow 170 l/min
- Large controls
- Easy to use with oversized gloves
- In combination with F50 face shield
- Breathing hose with flame retardant cover - protection from sparks and spatter
- Unit is CE Certified
- Respiratory protection during grinding and other industrial tasks where the wearer is exposed to contamination from solid and liquid particles
- Fitted with an **impact rated** grinding visor
- **Large viewing area 225 x 144 mm**
- Adjustable ergonomic headgear with airduct



GRINDING



0082 EN 12941 TH3 P R SL



J7265

AIRMAX+ with F50 FACE SHIELD PAPR SYSTEM

Product No	Description	Case Qty/MOQ
J7265	AIRMAX+ with F50 Face Shield	4

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
40340	FR Hose with cover, 85 cm	1
40540	FR Hose cover, 85 cm	1
40381	AIRMAX+ Blower unit - 8 Speed	1
40332	HEPA PAPR filter	6
40363	PAPR charger	1
40353	Replacement 4-Cell 7.4V Battery	1
40371	Replacement FR Waist belt	1
40311	Replacement Pre-filters	10
40312	Odor removing filter	10
40313	Spark arrestor	5
J7261	F50 PAPR Face Shield	1
J5252	F50 Visor Lens	20
J7260	F50 PAPR Head Gear	5
J5462	PAPR Sweat Band	50
J5251	F50 PAPR Face Seal	5
40368	FR Comfort Backpack for PAPR blower	1
40369	FR Comfort belt with leather straps and harness	1


Jackson Safety® PAPR Face Shield

AIRMAX+ with MAXVIEW

PAPR System with Face Shield

Unit contains battery charger, battery, waist belt, hose, HEPA Filter, Pre-Filter and PAPR face shield (odour removing filter sold separately)

INCLUDING  **SPARK ARRESTOR**



INDUSTRY-LEADING PANORAMIC VIEW



CLEAR VISION

Premium Anti-Fog Coating



MAXIMUM COMFORT

Fast & Easy Headgear Adjustments



OPTIMUM SAFETY

High Impact Polycarbonate Window

Particle Protection

TH3

Adjustable airflow

170 - 240 lpm

Charging time

5 hrs

Operation time

10 hrs

Ingress Protection

IP

5

4

- **TH3** Particle Protection (Highest Possible Rating)
- **8 different** blower speed settings, adjustable airflow from 170 to 240 lpm (**10 lpm Increment**)
- **IP 54** Certified
- **Vibration** and **Filter Alarms** to inform when filters need changing or low battery
- Comes with **HD 4 Cell Li-ion Battery 7.4V/5200mAh**. Charging time: 5 hours
- Operation time up to **10 hours** with a new filter P R SL and airflow 170 l/min
- Large controls
- Easy to use with oversized gloves
- Breathing hose with flame retardant cover - protection from sparks and spatter
- In combination with Maxview face shield
- Unit is CE Certified
- Oversized **370 Speed Dial™** ratcheting headgear guarantees a precise fit every time
- Patented **"Qwik-Fit"** swivel headband adjusts the suspension gear to the user's head for superior comfort
- Comes standard with a soft fabric sweatband for increased comfort and convenience
- Extended top-of-head coverage protects against hazards from above
- Built-in side and chin guard protects against splash and flying debris
- Lightweight and balanced construction for all-day comfort
- Extra-large polycarbonate window for superior optics and industry-leading panoramic views
- Up and down detents lock securely in place until manually adjusted



GRINDING

More details about the Maxview face shield on page 88.



EN 12941 TH3 P R SL



AIRMAX+ with MAXVIEW FACE SHIELD PAPR SYSTEM

Product No	Description	Case Qty/MOQ
40601	AIRMAX+ with Maxview Face Shield anti-fog coating	4

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
40340	FR Hose with cover, 85 cm	1
40540	FR Hose cover, 85 cm	1
40381	AIRMAX+ Blower unit - 8 Speed	1
40332	HEPA PAPR filter	6
40363	PAPR charger	1
40353	Replacement 4-Cell 7.4V Battery	1
40371	Replacement FR Waist belt	1
40311	Replacement Pre-filters	10
40312	Odor removing filter	10
40313	Spark arrestor	5
47001	Maxview (A/F) PAPR Complete Head Top (No hose)	1
J8571	PAPR 370 Headgear	1
J5244	Standard face seal	1
14214	Clear replacement window	36
14215	Clear replacement window anti-fog	36
J5237	370 sweat band	2
40368	FR Comfort Backpack for PAPR blower	1
40369	FR Comfort belt with leather straps and harness	1

Jackson Safety[®] PAPR Face Shield

AIRMAX[®] with QUAD 500

PAPR FACE SHIELD

PAPR System with Face Shield

Unit contains battery charger, battery, waist belt, hose, HEPA Filter, Pre-Filter and PAPR face shield (odour removing filter sold separately)

INCLUDING  **SPARK ARRESTOR**



CLEAR VISION

Premium Anti-Fog Coating



MAXIMUM COMFORT

Fast & Easy Headgear Adjustments



VERSATILITY

Shade 5 or 8 IR Flip Windows



PREMIUM MULTI-PURPOSE FACE SHIELD



Particle Protection

TH3

Adjustable airflow

170 - 240 lpm

Charging time

5 hrs

Operation time

10 hrs

Ingress Protection

IP

5

4

- **TH3** Particle Protection (Highest Possible Rating)
- **8 different** blower speed settings, adjustable airflow from 170 to 240 lpm (**10 lpm Increment**)
- **IP 54** Certified
- **Vibration** and **Filter Alarms** to inform when filters need changing or low battery
- Comes with **HD 4 Cell Li-ion Battery 7.4V/5200mAh**. Charging time: 5 hours
- Operation time up to **10 hours** with a new filter P R SL and airflow 170 l/min
- Large controls
- Easy to use with oversized gloves
- Breathing hose with flame retardant cover - protection from sparks and spatter
- In combination with Quad 500 face shield
- Unit is CE Certified
- All Quad 500 products have been designed to offer maximum above-the-neck face protection, including an extra-large molded polycarbonate window featuring our premium anti-fog coating
- For added protection, the molded window is completely framed on the sides and chin and features an extra-large crown
- The Quad 500 offers exceptional panoramic views with virtually no distortion
- Ideal for grinding, cutting, oxy/acetylene cutting, plasma cutting, brazing and more
- The Quad 500 face shield is also available with an exclusive, **extra-large flip-up/flip-down IR window** for added eye protection when used in applications producing infrared hazards
- It's easy and safe—by keeping the Quad 500 clear window in the down position at all times, the operator can flip the IR shaded window up or down, providing uninterrupted face protection during cutting and grinding operations
- Flip windows available in:
 - **Shade 5 IR** for oxy/acetylene cutting, brazing, and plasma cutting
 - **Shade 8 IR** for oxy/acetylene welding and plasma cutting
- Both the clear and flip windows feature detents that lock in both the up and down positions
- Designed to be used with most goggles, respirators, and all safety glasses

More details about the Quad 500 face shield on page 90.



EN 12941 TH3 P R SL

AIRMAX+ with QUAD 500 FACE SHIELD PAPR SYSTEM

Product No	Description	Case Qty/MOQ
40620	AIRMAX+ with Quad 500 Premium Multi-Purpose Face Shield	4
40630	AIRMAX+ with Quad 500 Premium Multi-Purpose Face Shield Flip Visor Shade 5 IR	4
40633	AIRMAX+ with Quad 500 Premium Multi-Purpose Face Shield Flip Visor Shade 8 IR	4


SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
40340	FR Hose with cover, 85 cm	1
40540	FR Hose cover, 85 cm	1
40381	AIRMAX+ Blower unit - 8 Speed	1
40332	HEPA PAPR filter	6
40363	PAPR charger	1
40353	Replacement 4-Cell 7.4V Battery	1
40371	Replacement FR Waist belt	1
40311	Replacement Pre-filters	10
40312	Odor removing filter	10
40313	Spark arrestor	5
47020	Quad 500/Clear PAPR Complete Head Top (No hose)	1
47030	Quad 500/Shade 5 PAPR Complete Head Top (No hose)	1
47033	Quad 500/Shade 8 PAPR Complete Head Top (No hose)	1
J8572	PAPR 370 Headgear	1
J5244	Standard face seal	1
14250	21.8 x 20.9 x 0.15 cm clear anti-fog window	12
14255	10.94 x 23.12 x 0.017 cm Shade 5 IR visor	12
14258	10.94 x 23.12 x 0.017 cm Shade 8 IR visor	12
J5237	370 sweat band	2
40368	FR Comfort Backpack for PAPR blower	1
40369	FR Comfort belt with leather straps and harness	1

Jackson Safety[®] PAPR Welding

AIRMAX[®]+

PAPR System - Blower



WELDING

LP80, WH70, Translight and 280 series welding helmets



FACE SHIELD

Maxview, Quad 500 and F50 Face Shield



Particle Protection

TH3

Adjustable airflow

170 - 240 lpm

Charging time

5 hrs

Operation time

10 hrs

Ingress Protection

IP

5

4

- **TH3 Particle Protection - Highest Possible Rating**
- Air flow: **170 to 240 lpm (10 lpm Increment)**
- Blower System comes with **8 different blower speed settings**
- **IP 54 Certified** – Protects against dust (limited ingress, no harmful deposits) and water splash from all directions (limited ingress permitted)
- **Vibration** and **Audible Filter Alarms** to inform when filters need changing or low battery
- Comes with replaceable and rechargeable **HD 4 Cell Li-ion Battery 7.4V/5200mAh**. Charging time: 5 hours
- Operation time up to **10 hours** with a new filter P R SL and airflow 170 l/min
- Unit contains battery charger, battery, waist belt, hose, HEPA Filter, Pre-Filter, (odour removing filter sold separately)
- Sleek controls, large enough to use with oversized gloves
- Unit is CE Certified

COMFORT PACKS



FR RESISTANCE



BACKPACK



BELT WITH LEATHER STRAPS AND HARNESS



CE
0082

Product No	Description	Case Qty/MOQ
40381	AIRMAX+ Blower unit - 8 Speed	1

SPARE PARTS & ACCESSORIES


Product No	Description	Case Qty/MOQ
40332	HEPA PAPR filter	6
40363	PAPR charger	1
40353	Replacement 4-Cell 7.4V Battery	1
40371	Replacement Waist belt	1
40311	Replacement Pre-filters	10
40312	Odour removing filter	10
40341	FR Hose with cover, 105 cm	1
40340	FR Hose with cover, 85 cm	1
J5241	FR Hose cover, 105 cm	1
40540	FR Hose cover, 85 cm	1
J7064	Hose without cover, 85 cm	1
40313	Spark arrestor	5
40368	FR Comfort Backpack for PAPR blower	1
40369	Comfort belt with leather straps and harness	1

INGRESS PROTECTION RATING

IP 54



SOLID



WATER

- 1 Protected against solid objects greater than 50 mm such as a hand.
- 2 Protected against solid objects greater than 12.5 mm such as a finger.
- 3 Protected against solid objects greater than 2.5 mm such as screwdriver.
- 4 Protected against solid objects greater than 1 mm such as a wire.
- 5 Dust protected. Prevents ingress of dust sufficient to cause harm.
- 6 Dust tight. No ingress of dust.

- 1 Protected against vertically falling drops of water.
- 2 Protected against direct sprays of water up to 15° from the vertical.
- 3 Protected against direct sprays of water up to 60° from the vertical.
- 4 Protected against water splashed from all directions.
- 5 Protected against low pressure jets of water from all directions.
- 6 Protected against strong jets of water.
- 7 Protected against the effects of temporary immersion between 15 cm and 1 m for 30 minutes.
- 8 Protected against long periods of immersion under pressure.

NEW

Jackson Safety® PAPR Systems

JACKSON
SAFETY

PAPR CHARGING STATION

5-Station battery charger for Airmax PAPR System

PAPR SYSTEMS



**ALLOWS FOR VARIOUS CHARGING POSITIONS:
TABLE-TOP, WALL MOUNTED VERTICALLY OR HORIZONTALLY**



COMPATIBILITY

Charges Airmax batteries (J7068)



MULTI CHARGING UNIT

Accommodates up to 5 batteries

- LED charge indicator for each charged battery:
 - **Red** - battery empty and charging,
 - **Green** - battery full or not connected
- Easy snap in / snap out battery placement into charging station
- No clutter with chargers' cables
- Easy single charger replacement in case of failure
- Main cable length: 2m
- Main power switch
- Frame material: plexi-glass, color: black
- Dimensions WxDxH: 370mm x 175mm x 173mm, Weight: 2400 g
- Operating temperature: 0 to 45°C
- Storage temperature: -20 to + 60°C
- Humidity: 10% to 90% relative
- Warranty: 2 years
- EU and UK version available
- Batteries not included

Product No	Description	Case Qty/MOQ
40364	AIRMAX 5-Station Battery Charger	1

Input Voltage

100-240 V

50-60 Hz

Output Voltage

8.4 V

5 x 1.5 A

5 x 12.5 W

Charging time

5 hrs

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu

Jackson Safety[®] PAPR Systems

PAPR CHARGING STATION

5-Station battery charger for Airmax+ PAPR System



ALLOWS FOR VARIOUS CHARGING POSITIONS: TABLE-TOP, WALL MOUNTED VERTICALLY OR HORIZONTALLY



COMPATIBILITY

Charges Airmax+ batteries (40353)



MULTI CHARGING UNIT

Accommodates up to 5 batteries

- LED charge indicator for each charged battery:
 - **Red** - battery empty and charging,
 - **Green** - battery full or not connected
- Easy snap in / snap out battery placement into charging station
- No clutter with chargers' cables
- Easy single charger replacement in case of failure
- Main cable length: 2m
- Main power switch
- Frame material: plexi-glass, color: black
- Dimensions WxDxH: 370mm x 175mm x 173mm, Weight: 2400 g
- Operating temperature: 0 to 45°C
- Storage temperature: -20 to + 60°C
- Humidity: 10% to 90% relative
- Warranty: 2 years
- EU and UK version available
- Batteries not included

Product No	Description	Case Qty/MOQ
40365	AIRMAX+ 5-Station Battery Charger	1

Input Voltage

100-240 V

50-60 Hz

Output Voltage

8.4 V

5 x 1.5 A

5 x 12.5 W

Charging time

5 hrs

HEALTH SAFETY PRODUCTIVITY

Finding a better way

WELDING PROTECTION PPE ● ● ●



WELDING HELMETS AND WELDING FILTERS

Designed to perform in a wide range of welding conditions, Jackson Safety® Helmets are available in a variety of styles and features.

Choose from a selection of filters – from **passive** to **digital ADF** platforms and numerous graphic designs to reflect personal style.



PASSIVE VS. AUTO-DARKENING FILTER HELMETS

Passive helmets offer great protection.

Auto-Darkening Filters offer protection and productivity.

Both passive and Auto-Darkening Filter (ADF) welding helmets provide excellent eye protection. Research shows that ADF helmets also offer impressive productivity gains, as well as greater user comfort.

ADDED BENEFITS OF AN ADF

Increased accuracy

Because the welder can always see what he's doing, and start in exactly the right spot.

Increased comfort

By eliminating the repetitive "lifting and nodding" that can cause neck strain.

Increased protection

From injuries caused by welding, chipping or grinding in the proximate area.

Increased peace of mind

Because even if the ADF should not become active during an arc, it still protects eyes from serious damage.

Increased productivity

By eliminating the time it takes to lift and nod the helmet before and after each weld.

True Color ADF

JACKSON SAFETY[®] auto-darkening filters with 1/1/1/1 optical classification provide:

A clear view from various angles


Which can reduce eye fatigue (the need to move, adjust and refocus).

Superior optical quality

Allows you to do your most creative and productive work.



Welders at all experience levels know the value and essential protection requirements of the right helmet and filter for the right job. That's why we provide a range of welding helmets and filters with features that are just right for you.



HEALTH
SAFETY

PRODUCTIVITY

Finding a better way

WELDING HEADTOPS



**280
SERIES**



**WH20
ASPIRE**



**WH25
DUO**



REBEL



**TRANSLIGHT
355**



GOOD

BETTER

CHOOSE YOUR HEADTOP	280 SERIES	WH20 ASPIRE	WH25 DUO	REBEL	TRANSLIGHT 355	
NEW Laser welding						
Moderate Welding	●	●	●	●	●	
Professional Welding						
Light Grinding			●		●	
Heavy Grinding						
NEW AIRMAX HM with HALF MASK	●	●	●		●	



**HALF MASK WILL FIT UNDER ANY
STANDARD WELDING HELMET OR FACE SHIELD**

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu



TRANSLIGHT
FLIP 455



TRANSLIGHT+
555



WH70



LP80



BEST

	TRANSLIGHT FLIP 455	TRANSLIGHT+ 555	WH70	LP80 LASER WELDING HELMET NEW
				●
	●	●	●	●
	●	●	●	●
	●	●	●	●
	●	●	●	●



WHEN USED WITH A STANDARD WELDING HELMET OR FACE SHIELD CAN BE USED AS ALTERNATIVE TO FULL PAPR SYSTEM



Jackson Safety[®] Welding Helmets

280 SERIES



Traditional 'Bucket style' welding helmet



LIGHTWEIGHT

Maximum comfort and safety



EXTREMELY DURABLE

Molded from Super Tuff nylon



VERSATILITY

Lift front with mineral glass Shade 10



SUPER KOOL™ HIGH TEMPERATURE PAINT COATING



Made in USA



Combinable with AIRMAX+



Optimum Safety
B Rated Impact Resistance



Jackson Safety 280 Series Welding Helmet has the traditional "Bucket Style" design that is lightweight and extremely durable. The 280 Series contains a rigid bib that deflects welding spatter making it ideal for various welding applications.

- Jackson Safety 280 Series welding helmet has been an industry leader for decades
- Made in the USA, the 280 Series is a traditional bucket style welding helmet
- Molded from **Super Tuff nylon** – lighter than fiberglass and extremely durable
- Patented **Sel-Snap lens retention system** provides easy loading of filter, cover and protective plates
- Lift front comes standard with spring loaded positive lock feature
- Our proprietary **SUPER KOOL SILVER COATING** keeps the helmet **30% cooler** than standard helmets and sheds spatter without burning
- Provides maximum operator comfort and safety
- **"Quick-release"** ratchet headgear suspension with sweatband included
- Specially designed shape for use with cartridge respirators

TECHNICAL DATA

Viewing Area	108 x 50,8 mm
Weight	592 g
Passive Lens Shade	10



TIG
- GTAW -



MMA
- SMAW -



PWA



MIG/MAG
- GMAW -



280 SERIES

Product No	Description	Case Qty/MOQ
S28311	280 Series Welding Helmet with Mineral Glass Shade 10, silver - lift front	4
14311	280PL Welding Helmet with Mineral Glass Shade 10, silver - lift front, 370 Speed Dial Headgear - COMING 2025	

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
J8302	Protective lens 107 x 51 mm	100
40367	Mineral glass Shade 10, 108 x 51 mm	25

HEALTH SAFETY PRODUCTIVITY
Finding a better way

Jackson Safety® Welding Helmets


WH20 ASPIRE



Welding helmet



**EXTERNAL
SHADE
ADJUSTMENT**



LIGHTWEIGHT

Total weight 510 g
(ADF included)



COMFORT

Adjustable ergonomic
headgear

A helmet that will aspire you

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu

- 110 x 90 mm cartridge size, 97 x 42 mm viewing area
- Shade range 9-13
- Shade selection, sensitivity and delay adjustment
- External shade adjustment
- Adjustable ergonomic headgear
- Total weight 510 g (ADF included)



TECHNICAL DATA

Viewing Area	97 x 42 mm
Optical Clarity	1/1/1/2
Weight	495 g
Open State Shade	4
Closed State Shade	9-13
Shade Adjustment	yes / external
Sensitivity Adjustment	yes / internal
Delay Adjustment	yes / internal
Grinding Mode	no
Switching Time	0.3 ms
Energy Supply	solar cells / no battery change



TIG
- GTAW -
> 50 Amp



MMA
- SMAW -



MIG/MAG
- GMAW -



WH20 ASPIRE

Product No	Description	Case Qty/MOQ
J8049	WH20 ASPIRE Welding Helmet with WF20 4/9-13 EXT ADF	6

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
J8370	Head gear with sweatband	1
J8319	Outer lens 115 x 104 mm	100
J8302	Inner lens 107 x 51 mm	100

HEALTH SAFETY PRODUCTIVITY

Finding a better way

Jackson Safety® Welding Helmets

WH25 DUO

Welding helmet

WELDING HELMETS

WELDING HELMET WITH
4/9-13 ADF FOR WELDING
AND GRINDING



LIGHTWEIGHT

Total weight 498 g
(ADF included)



AIRMAX®

PAPR compatible

Protect your eyes

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu

- Optical classes 1/1/1/2
- AIRMAX PAPR compatible
- 110 x 90 mm cartridge size, 92 x 41 mm viewing area
- Shade range 9-13, sensitivity and delay adjustment, grinding mode
- Total weight 498 g (ADF included)

TECHNICAL DATA

Viewing Area	92 x 41 mm
Optical Clarity	1/1/1/2
Hard Hat Option	no
Weight	498 g
Open State Shade	4
Closed State Shade	9-13
Shade Adjustment	yes / external
Sensitivity Adjustment	yes / internal
Delay Adjustment	yes / internal
Grinding Mode	yes
Switching Time	0.3 ms
Energy Supply	solar cells / non replaceable 3V Li-ion batteries



WH25 DUO / WH25 DUO PAPR

Product No	Description	Case Qty/MOQ
J7101	WH25 DUO Welding Helmet with 4/9-13 ADF	6

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
J7176	WH25 DUO Front Cover Lens	10
J7177	WH25 DUO Inner Cover Lens - 94,5 x 45 mm	10
J7172	WH25 DUO ADF Cradle	1
J7174	WH25 DUO Welding Head Gear Pro	1
J7175	WH25 DUO Sweat Band Pro	2
J7180	DUO ADF 4/9-13	1

Jackson Safety® ADF Welding Mask

REBEL™

ADF Welding/Goggle Mask - Digital

PAPR WELDING



LIGHTWEIGHT

Maximum comfort and safety



ONE-PIECE DESIGN

Protects against UV and IR leakage



VERSATILITY

Fit under hard hats & over eyewear

CONVENIENT
PUSH-BUTTON
DIGITAL CONTROLS



The all new, exclusive Jackson Safety® Rebel™ welding mask is a great addition to our welding program, incorporating modern ADF technology. The Rebel™ is a lightweight product designed to reduce neck strain. In addition, the Rebel is designed to fit under most hard hats without the need for adaptor brackets, making it extremely versatile.

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

- New Rebel ADF masks are an ideal product for intermittent welding applications such as: automotive, fleet and agricultural equipment repairs; DIY projects; general shop applications
- Constructed with the goggle / face shield as a one piece integrated unit; eliminating spark & spatter risks to front of face
- The Rebel's soft, comfortable goggle body conforms very well to face contours, reducing UV/IR ray leakage concerns
- Specially designed to fit over most prescription eyewear – no cheater magnifying lens needed!
- Features a replaceable clear outer lens for added ADF protection (46930–5 pack)
- No adapters needed to use with hard hats
- Low TIG amp rated >10 amps
- Solar panel recharges CR 2450 replaceable battery – each battery lasts up to 1,300 hours before replacement is necessary

TECHNICAL DATA

REBEL

Viewing Area	90 x 35 mm
Optical Clarity	1/1/1/2
True Color	Yes
Weight	250 g
Open State Shade	3
Closed State Shade	5-12
Button Controls	digital
Shade Adjustment	yes / external
Sensitivity Adjustment	yes / external
Delay Adjustment	yes / external
Grinding Mode	yes / external
Switching Time	0.1 ms
Energy Supply	Solar cells & Lithium (CR2450) Batteries



TIG
- GTAW -
> 10 Amp



MMA
- SMAW -



PWA



MIG/MAG
- GMAW -



46200



46600



46930

REBEL

Product No	Description	Case Qty/MOQ
46200	Rebel ADF Welding Mask & FR Hood (kit)	6

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
46600	Rebel Replacement FR Hood	1
46930	Rebel Replacement Lens Kit, 5 External, 3 Internal	8
46397	Rebel goggle elastic strap, nuts and bolts	1

HEALTH SAFETY PRODUCTIVITY

Finding a better way

Jackson Safety[®] Welding Helmets

TRANSLIGHT™ 355

Premium Auto Darkening Welding Helmet

WELDING HELMETS

EXCLUSIVE!



LIGHTWEIGHT

521 g

Welding Helmet with ADF



EXTERNAL

GRIND BUTTON

Quick changes between modes



OUTER LENS

1.5 mm THICKNESS

Greater impact & heat resistance



ULTRA SLIM TRUE COLOR ADF WITH 1/1/1/1 OPTICAL RATING

Maximum Comfort & Fit
Fast & Easy
Headgear Adjustments



Hard Hat Compatible



Combinable with
AIRMAX+



Optimum Safety

B Rated Impact Resistance



TRANSLIGHT™
SERIES

- Translight 355 Series is super-lightweight with a sleek, modern design and look
- Auto Darkening Filter meets **1/1/1/1 Optical Clarity Standard**, the highest in the industry
- ADF contains external grind button for quick changes between modes
- Welding, Grinding, Cutting modes included
- Includes patented **370 Speed Dial** ratcheting headgear system
- Switching speeds of 0.25 ms
- Solar & Lithium Batteries (CR2032)
- 4 sensor technology for optimal performance
- Outer lens at 1.5 mm thickness

TECHNICAL DATA

TRANSLIGHT 355

Viewing Area	98 x 62 mm
Optical Clarity	1/1/1/1
True Color	Yes
Weight	521 g
Open State Shade	3
Closed State Shade	5-14
Button Controls	digital/analogue
Shade Adjustment	yes / internal
Sensitivity Adjustment	yes / internal
Delay Adjustment	yes / internal
Grinding Mode	yes / external
Switching Time	0.25 ms
Energy Supply	Solar & Lithium (CR2032) Batteries



46230

TRANSLIGHT 355

Product No	Description	Case Qty/MOQ
46230	TRANSLIGHT 355 Welding Helmet with ADF, black	4

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
46432	Translight 355 Replacement ADF	1
46914	Translight 355 Internal Safety Plates	10
46923	Translight 355/455 External Safety Plates	10
20693	Translight Replacement 370 Headgear	1
46993	Translight 355 Lens retainer	1
J5234	Hard hat adaptor set	1
J5237	370 sweat band	2
46998	370 Speed Dial™ Replacement Shaft & Knob repair kit (longer threads)	1

HEALTH SAFETY PRODUCTIVITY

Finding a better way

Jackson Safety[®] Welding Helmets

TRANSLIGHT™ FLIP 455

Premium Auto Darkening Welding Helmet

WELDING HELMETS

EXCLUSIVE!



FLIP-UP

WELDING - GRINDING

Easy-to-use lift mechanism



**EXTRA-LARGE
FACE SHIELD**

Superior peripheral vision



OUTER LENS

1.5 mm THICKNESS

Greater impact & heat
resistance

**EXTRA LARGE
FACE SHIELD FOR
GRINDING OPERATIONS**

Maximum Comfort & Fit
Fast & Easy
Headgear Adjustments



Hard Hat Compatible



**Combinable with
AIRMAX+**



Optimum Safety

B Rated Impact Resistance



**TRANSLIGHT™
SERIES**


Jackson Safety setting NEW standards for
flip welding helmet design & comfort

- Easy-to-use lift mechanism reveals a 297 sq. cm clear extra-large polycarbonate face shield for grinding operations
- Flip system ensures maximum safety – provides uninterrupted face protection when switching from welding to grinding operations
- High quality **True Color ADF** provides a full **60 square cm** viewing area
- Features an extra-large face shield which provides superior peripheral vision
- Welding, grinding, cutting modes functions are standard features
- 4 sensor technology for optimal performance
- Auto-darkening filter meets **1/1/1/1 optical clarity** standard, the highest in the industry
- Includes patented **370 Speed Dial** ratcheting head-gear system
- Switching speeds of 0.1 ms
- Welding helmet with Mineral glass Shade 10 available as custom order

TECHNICAL DATA

TRANSLIGHT FLIP 455

Viewing Area	98 x 62 mm
Optical Clarity	1/1/1/1
True Color	Yes
Weight	725 g
Open State Shade	4
Closed State Shade	5-8/9-13
Button Controls	digital & analog
Shade Adjustment	yes / internal
Sensitivity Adjustment	yes / internal
Delay Adjustment	yes / internal
Grinding Mode	yes / internal
Switching Time	0.1 ms
Energy Supply	Solar & Lithium (CR2032) Batteries



46240

TRANSLIGHT FLIP 455

Product No	Description	Case Qty/MOQ
46240	TRANSLIGHT FLIP 455 Welding Helmet with ADF, black	4

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
46442	Translight 455 Replacement ADF	1
46923	Translight 355/455 External Safety Plates (Pack of 10)	10
46914	Translight 355/455 Internal Safety Plates (Pack of 10)	10
46640	Translight Flip 455 Face Shield Replacement Window (Pack of 5)	5
20693	Translight Replacement 370 Headgear	1
46991	Translight Flip 455 Spring Replacement Mechanism Kit	1
46992	Translight Flip 455 Nuts and bolts	1
J5234	Hard hat adaptor set	1
J5237	370 sweat band	2
46998	370 Speed Dial™ Replacement Shaft & Knob repair kit (longer threads)	1

HEALTH SAFETY PRODUCTIVITY

Finding a better way

Jackson Safety® Welding Helmets

TRANSLIGHT™ + 555

Premium Auto Darkening Welding Helmet

WELDING HELMETS

EXCLUSIVE!



EXTERNAL

SHADE ADJUSTER

Micro adjust to eye & environment



EXTERNAL

GRIND BUTTON

Quick changes between modes



OUTER LENS

1.5 mm THICKNESS

Greater impact & heat resistance

EXTRA LARGE VIEWING AREA
98 x 82 mm



Maximum Comfort & Fit
Fast & Easy
Headgear Adjustments



Hard Hat Compatible



Combinable with AIRMAX+



Optimum Safety

B Rated Impact Resistance



TRANSLIGHT™
SERIES

Jackson Safety setting NEW standards for *large viewing area* welding helmets

The Translight™ Series is defined philosophies by our innovative global design. We mix industry leading features with new advancements in technology to transcend the welding industry.

- Translight™ shell has a sleek modern design
- Helmet is lightweight & ergonomically balanced to reduce stress & fatigue
- Auto Darkening Filter meets **1/1/1/1 Optical Clarity** standard, the highest in the industry
- Includes an external grind button, so end users can switch modes with ease
- Features the new external shade adjuster to help aid in visual focus
- The new shade adjuster can finely tune shades up to +/- 1 full shade with .2 shade adjusting increments
- Welding, Grinding and Cutting can be done with this versatile ADF
- Includes patented **370 Speed Dial** ratcheting headgear system
- Advanced digital controls are a great QOL enhancement for welders
- Switching speeds of 0.2 ms

TECHNICAL DATA

TRANSLIGHT+ 555

Viewing Area	98 x 82 mm
Optical Clarity	1/1/1/1
True Color	yes
Weight	612 g
Open State Shade	3
Closed State Shade	5-8/9-14
Button Controls	Digital
Shade Adjustment	yes / internal
Sensitivity Adjustment	yes / internal
Delay Adjustment	yes / internal
Grinding Mode	yes / external
Switching Time	0.2 ms
Energy Supply	Solar & Lithium (CR2032) Batteries



46250

TRANSLIGHT+ 555

Product No	Description	Case Qty/MOQ
46250	TRANSLIGHT+ 555 Welding Helmet with ADF, black	4

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
46452	Translight+ 555 Replacement ADF	1
46925	Translight+ 555 External Safety Plates (Pack of 10)	10
46915	Translight+ 555 Internal Safety Plates (Pack of 10)	10
46995	Translight+ 555 Replacement Lens Retainer	1
20693	Translight Replacement 370 Headgear	1
J5234	Hard hat adaptor set	1
J5237	370 sweat band	2
46996	Translight+ 555 Darkening hood	1
46998	370 Speed Dial™ Replacement Shaft & Knob repair kit (longer threads)	1

HEALTH SAFETY PRODUCTIVITY

Finding a better way

Jackson Safety® Welding Helmets

WH70

Premium Auto Darkening Welding Helmet

WELDING HELMETS



EXTERNAL

GRIND BUTTON

Quick changes between modes



LARGE

VIEWING AREA

96 x 68,5 mm



FRONT LOADED

QUICK & EASY

Protective lenses and ADFs are easily removed to be replaced or cleaned

POSSIBLE UPGRADE:

- HARD HAT
- MAGNIFYING LENSES



Hard Hat Compatible



Maximum Comfort & Fit
Fast & Easy
Headgear Adjustments



Optimum Safety

B Rated Impact Resistance



Take the art of welding to its highest level

- Aerodynamic design for better fume deflection and a smooth rounded perimeter for increased comfort
- Protective lenses and ADFs are easily removed to be replaced or cleaned
- Large viewing area 96 x 68.5 mm
- Lightweight, 399 g w/o ADF



TECHNICAL DATA	WF70 GDS	WF70 GDS-E
Filter Lens	J9927	
Viewing Area	96 x 68.5 mm	100 x 68 mm
Hard Hat Option	yes	yes
Optical Clarity	1/1/1/1	1/1/1/1
Weight	565 g	560 g
Open State Shade	4	3
Closed State Shade	6-8/9-13	4-8/9-13
Shade Adjustment	yes / ext	yes / ext
Sensitivity Adjustment	yes / ext	yes / ext
Delay Adjustment	yes / ext	yes / ext
Grinding Mode	yes / ext	yes / ext
Lock Shade Mode	-	yes / ext
Switching Time	0.15 ms	0.1 ms
Energy Supply	Solar cells + 2x Lithium batteries - replaceable	Solar cells + 2x Lithium batteries - replaceable

POSSIBLE UPGRADES

- Hard hat combination
- Magnifying lenses 107 x 51 mm (1.0, 1.25, 1.5, 1.75, 2.0, 2.5)



TIG
- GTAW -



MMA
- SMAW -



PWA



MIG/MAG
- GMAW -



GRINDING

WH70

Product No	Description	Case Qty/MOQ
J9916	WH70 Welding Helmet with Grand GDS ADF - Expiring 2026	1
-	WH70 Welding Helmet with Grand GDS-E ADF - Coming 2026	1

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
J9913	WH70 Replacement Shell for EXT ADF	1
J8570	375 head gear	1
J5237	370 sweat band	2
J9931	Outer lens 147 x 125 mm	10
J9932	Inner lens 107.5 x 71.5 mm	10
J9934	Washer set	1
J9936	Mag lens holder	1
46998	370 Speed Dial™ Replacement Shaft & Knob repair kit (longer threads)	1
J5234	Hard hat adaptor set	1
J5243	Hard hat sweat band	2

NEW

Jackson Safety® Welding Helmets

JACKSON
SAFETY

LASER WELDING HELMETS

LASER WELDING HELMET

Premium Auto Darkening Laser Welding Helmet -
For hand-guided high-power laser welding systems

MADE IN
EUROPE

D LB7

LASER LIGHT
PROTECTION LEVEL
950-1100 nm wave length



ADF - 1/1/1/1 Optical
Clarity with large viewing
area 96 x 68,5 mm



SHADE RANGE
4/6-8/9-13



Excellent switching
speeds of 0,15 ms



Weight approx. 840 g
(total helmet)



Solar cells + 2x Lithium
battery (batteries are
external and exchangeable)



**NEW ERGONOMIC
HEADGEAR**

Large, soft, and
well-ventilated back rest



CE



STANDARDS
EN 207:2017
EN ISO 16321-1:2022
EN 16321-2:2021



Protects face, forehead
and ears from welding
sparks, splashes and
stray laser radiation



LASER



TIG
- GTAW -



MMA
- SMAW -



PWA



MIG/MAG
- GMAW -



GRINDING

LP80
LASER PROTECTION

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu

ALUMINIUM SHIELD

- 1 Melting point at 600°C – materially higher than standard welding helmet 
- 2 Temperature distribution qualities prevent heat concentration build up 
- 3 Lightweight – 160g 
- 4 Greater coverage of welding helmet helps protect skin 
- 5 Aluminium is recyclable 
- 6 **DLB8** Laser Protection Level 

LASER PROTECTION GLASS SANDWICH



LASER WELDING HELMET

Product No	Description	Case Qty/MOQ
40500	Laser Welding Helmet GDS ADF with absorptive glass laser filter, protection level D LB7 - Expiring 2026	1
-	Laser Welding Helmet GDS ADF with absorptive glass laser filter, protection level D LB7 - Coming 2026	1

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
40508	Aluminium Frame Laser Welding Helmet	1
40509	Outer Cover Lens for Laser Helmet	10
40593	Premium headgear	1
40595	Sweatband for premium headgear	2
J9934	Washer set	1

WELDING FILTERS

SAFETY FIRST

CE certified

All ADFs are CE certified and most of them **exceed required protection** levels by large margin (switching speed, UV/IR protection).

Protection against UV and IR light

ADFs are designed so that regardless of dark or clear state welder's eyes are **always protected** against harmful UV and IR light occurring during welding process.


Excellent switching speed

Switching speed and detection of welding arc **prevent light flash** from reaching welder's eyes.

Safe in any weld process

Variable shade level, sensitivity and delay allow for **adjusting protection** parameters to any weld process.

WIDE SELECTION OF PRODUCT PERFORMANCE LEVELS AVAILABLE



EASE OF WORK

ADFs can be adjusted to any type of welding by selecting shade level, sensitivity to welding arc and opening time delay.

Selectable operation mode (Weld/Grind/Cut) allows for permanent eye protection during the whole metal processing operation.

Increased productivity as both hands can be used.

Simple welding tasks

Mineral glass or single shade ADFs.

Entry level welding tasks

Limited shade range, average speed and window size – cost effective.

Professional tasks

All required features at moderate cost with added functionality.

Extremely demanding tasks

Highest optical performance, switching speed, sensitivity range and various modes of operation.

A / Eine / Une Marque / Una Marca / Un Marchio




Brand / Marke

Ordering E-mail sales@jacksonsafety.eu

Customer Service info@surewerx.eu

www.surewerx.eu



OPTICAL PERFORMANCE

Available highest level of **1/1/1/1** with highest optical clarity, homogeneity and wide viewing angle.

Available **true color** for better process control.

Large selection of available viewing area sizes from 35 to 80 cm².

1/1/1/1

Optical Rating

True Color

S to XL

Viewing Area

- **Shade level**
- **Sensitivity**
- **Operation mode**
- **Opening time delay**

ADDITIONAL FEATURES

Highest speed ADFs

Surface mode technology on some models.

ADF power source selection

- **Replaceable batteries** - alkaline or lithium.
- **Fixed batteries** - No battery changes for the lifetime of the product.
- **Solar cells** for battery life extension.

Low weight and ultraslim ADFs

Reduced weight and ultraslim ADFs available.

Warranty

1, 2 or 3 year warranty depending on ADF model.

ADFs

GOOD

BETTER

Filter name	WF20 ES	DUO	REBEL	
	 	 	 	
Product No	-	J7180	46200	
Compatible shell	WH20 ASPIRE	WH25 DUO	-	
Outer protective lens	J8319	J7176	46930 (Lens Kit: 5 Ext., 3 Int.)	
Inner protective lens	J8302	J7177		
Cartridge size	110 x 90 mm	110 x 90 mm	108 x 51 mm	
Viewing window	100 x 41 mm	93 x 42 mm	90 x 35 mm	
View window sq in	41 sq cm	39 sq cm	31 sq cm	
Shade range	4/9-13	4/9-13	3/5-12	
Switching time RT	0.4 ms	0.3 ms	0.1 ms	
Clearing time	0.2 - 0.8 s	0.1 - 0.8 s	0.2 - 0.8 s	
Sensors	2	2	2	
True Color	Yes	Yes	Yes	
Optical clarity	1/1/1/2	1/1/1/2	1/1/1/2	
Shade adjustment	●	●	●	
Sensitiviy adjustment	●	●	●	
Delay adjsutment	●	●	●	
Welding	●	●	●	
Grinding	-	●	-	
Cutting	-	-	-	
TIG > 20 amps	●	●	●	
TIG < 20 amps	-	-	●	
Laser welding	-	-	-	
Battery type	Lithium - Fixed	Lithium - Fixed	Lithium - Replaceable	
Sollar cells	●	●	●	
370 Speed Dial Headgear	-	-	-	
Special Features	-	-	4.7 mm optics	
Warranty	1 Year	1 Year	2 Years	

BEST

	TRANSLIGHT			WH70	LP80
					
	355	455	555	WF70 GDS 4/6-8/9-13	LP80 GDS 4/6-8/9-13
					
	46432	46442	46452	J9927	40504
	TRANSLIGHT 355	TRANSLIGHT FLIP 455	TRANSLIGHT+ 555	WH70	LP80
	46923	46923	46925	J9931	40509
	46914	46914	46915	J9932	J9932
	110 x 90 mm	110 x 90 mm	114 x 133 mm	110 x 110 mm	110 x 110 mm
	98 x 62 mm	98 x 62 mm	98 x 82 mm	96 x 68.5 mm	96 x 68.5 mm
	60 sq cm	60 sq cm	80 sq cm	66 sq cm	66 sq cm
	3/5-8/9-14	4/5-8/9-13	3/5-8/9-14	4/6-8/9-13	4/6-8/9-13
	0.25 ms	0.1 ms	0.2 ms	0.15 ms	0.15 ms
	0.1 - 0.9 s	0.1 - 1.0 s	0.1 - 0.9 s	0.1 - 1.0 s	0.1 - 1.0 s
	4	4	4	2	2
	Yes	Yes	Yes	Yes	Yes
	1/1/1/1	1/1/1/1	1/1/1/1	1/1/1/1	1/1/1/1
	●	●	●	●	●
	●	●	●	●	●
	●	●	●	●	●
	●	●	●	●	●
	●	●	●	●	●
	●	-	●	-	-
	●	●	●	●	●
	●	●	●	●	●
	-	-	-	-	●
	Lithium - Replaceable	Lithium - Replaceable	Lithium - Replaceable	Lithium - Replaceable	Lithium - Replaceable
	●	●	●	●	●
	●	●	●	●	●
	Thin 3.9 mm optics	Thin 3.5 mm optics	4.9 mm optics	Special technology to opti- mize clarity	Laser welding protection
	3 Years	3 Years	3 Years	3 Years	3 Years



Jackson Safety[®] Welding Filters

WELDING FILTERS

RECOMMENDED SHADE LEVELS

For Various Welding Applications



Current (A)	Coated electrodes	MIG Heavy metals	MIG Light alloys	MAG	TIG	Gouging	PLASMA Cutting	PLASMA Welding
-------------	-------------------	------------------	------------------	-----	-----	---------	----------------	----------------

1								
2.5								6
5	6				8			7
10	7							8
20	8				9			9
30	9				10			10
40								
60	10			9				
80					11			11
100		10		10	12		11	12
150	11	11	11	11		10		
175								
200					13			13
225	12	12	12	12		11	12	
250								
300			13	13		12		
350	13	13				13	13	
400				14	14			14
450								
500	14	14	15	15		15		

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu

HEADGEAR SYSTEMS

370[™]
SPEED DIAL

EASY GRIP-EASY TURN

Rotation allows instant loosening and tightening of the headgear



Large adjuster dial
Easy to find and grab even when wearing gloves

PREMIUM
HEADGEAR

ERGONOMIC

Large, soft, and well-ventilated back rest



Easy to adjust pin-lock upper adjustment band

Allows proper positioning of face shield



Extra wide replaceable fabric sweatband

Offers high comfort and convenience



Perfect fit every time, increasing safety, productivity and satisfaction

Product No	Description	Case Qty/MOQ
J8570	375 Speed Dial Headgear - for use with WH70 welding helmets, WH70 PAPR Systems and Translight PAPR Systems	1
20693	370 Speed Dial Headgear - for use with Translight welding helmets	1
20696	370 Speed Dial Headgear - for use with Graphic welding helmets	1
20694	370 Speed Dial Headgear - for use with Quad 500	1
20695	370 Speed Dial Headgear - for use with Maxview and F4XP	1
J8572	370 Speed Dial Headgear - for use with Quad 500 PAPR System	1
J8571	370 Speed Dial Headgear - for use with Maxview PAPR System	1
J5237	370 sweat band	2
40593	Premium headgear - for use with WH70 and LP80 laser welding helmets	1
40595	Sweatband for premium headgear	2

WELDING BLANKETS

JACKSON[®]
SAFETY

How do I choose the right welding blanket for the job?

With so many different materials, sizes and functions, it's very difficult to decide what type of welding blanket you might need for the job. When you are unsure of the right style for you, it's good to start with some basic questions:

What temperatures are you working with?

- **Working Temperature** – The maximum temperature a blanket can withstand for the entire duration of the application. Sometimes this is referred to as "service temperature" or "constant temperature."
- **Intermittent Temperature** – The temperature the fabric can withstand for short durations without damage.

What should I know about different fiberglass coatings?

There are many different coatings available each with its own specific properties. Listed below are some of the most common styles:

PU	Fiberglass uncoated	Vermiculite
<ul style="list-style-type: none"> • Enhanced abrasion and tear resistance • Soft to the touch 	<ul style="list-style-type: none"> • Easy to cut and can conform to complex curves • Lightweight and soft material 	<ul style="list-style-type: none"> • Advanced abrasion resistance • Can be used without gloves

Which welding blankets are best for vertical and horizontal use?

Lighter duty welding blankets can be used vertically to offer protection against welding sparks and slag. If you are using a blanket horizontally or flat, it is recommended to use a heavier-duty blanket with a higher maximum temperature as the spatter has the potential to rest directly on the material.

Compliant to
EN 13501



Product Series	LIGHT DUTY		MEDIUM DUTY	HEAVY DUTY
	Uncoated Fiberglass Blanket	Fiberglass PU Coated Blanket	Vermiculite Blanket	Silica Cloth Blanket
Working Temp	550°C	550°C	1000°C	1100°C
Colors	White	Grey	Black	Tan
Weight	612g (18oz)	470g (14oz)	845g (24oz)	680g (20oz)
Applications	Heat treating, low thermal conductivity, anti corrosion, and is a base material for coating, impregnating and laminating	Slag resistance, spark resistance and incidental resistant to flames from cutting torches	Abrasion resistance, thermal barrier	Used for thermal and high heat requirements; can be used at 1100°C, maximum at 1300°C

NOTE: Temperatures and applications are intended as a guideline only and not a guarantee of performance. SureWerx recommends the use of welding blankets in multiple layers to attain proper molten metal and radiant heat protection. It is the user's responsibility to monitor the activity and use of blankets/high-heat materials at all times. The user must inspect the blankets before use. Abnormal wear and tear should be removed from service.

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail sales@jacksonsafety.eu

Customer Service info@surewerx.eu

www.surewerx.eu

UNCOATED FIBERGLASS BLANKET

- Low irritating yarns prevents itch
- Grommets allow easy hanging in vertical applications
- **550°C working temperature / 700°C maximum temperature**

Product No	Product Type	Width	Length	Thickness	Case Qty/MOQ
J2711	Blanket	1 m	1 m	0.75 mm	20
J2712	Blanket	1 m	2 m	0.75 mm	10
J2713	Blanket	2 m	2 m	0.75 mm	5
J2714	Blanket	3 m	2 m	0.75 mm	5
J2715	Roll	1 m	25 m	0.75 mm	1



LIGHT DUTY PROTECTION



Ideal for welding, insulation, and jacketing applications

FIBERGLASS PU COATED BLANKET

- Excellent abrasion and tear resistance
- Grommets allow easy hanging in vertical applications
- **550°C working temperature / 700°C maximum temperature**

Product No	Product Type	Width	Length	Thickness	Case Qty/MOQ
J2716	Blanket	1 m	1 m	0.47 mm	20
J2717	Blanket	1 m	2 m	0.47 mm	10
J2718	Blanket	2 m	2 m	0.47 mm	5
J2719	Blanket	2 m	3 m	0.47 mm	5
J2720	Roll	1 m	25 m	0.47 mm	1



LIGHT DUTY PROTECTION



Provides protection from most welding sparks, spatter and slag

VERMICULITE BLANKET

- Advanced abrasion resistant properties
- Grommets allow easy hanging in vertical applications
- **1000°C working temperature / 1300°C maximum temperature**
- Heat is dispersed evenly across the surface significantly boosting temperature rating

Product No	Product Type	Width	Length	Thickness	Case Qty/MOQ
J2721	Blanket	1 m	1 m	1 mm	20
J2722	Blanket	2 m	1 m	1 mm	10
J2723	Blanket	2 m	2 m	1 mm	5
J2724	Blanket	3 m	2 m	1 mm	5
J2725	Roll	1 m	25 m	1 mm	1



MEDIUM DUTY PROTECTION



Ideal for welding, furnace applications, pipe wrapping and machinery protection

SILICA CLOTH BLANKET

- Pliable material can easily wrap around complex curves
- Grommets allow easy hanging in vertical applications
- **1100°C working temperature / 1300°C maximum temperature**
- Protection from heavy duty slag and molten spatter

Product No	Product Type	Width	Length	Thickness	Case Qty/MOQ
J2726	Blanket	0.94 m	1 m	0.70 mm	20
J2727	Blanket	1 m	1.76 m	0.70 mm	10
J2728	Blanket	2 m	1.76 m	0.70 mm	5
J2729	Blanket	3 m	1.76 m	0.70 mm	5
J2730	Roll	0.914 m	25 m	0.70 mm	1



HEAVY DUTY PROTECTION



Ideal for use as a heat shield, furnace blanket, extreme welding applications and other thermal barrier needs

TOOLS

CURV-O-MARK



PIPE AND TOOL MARKING ACCESSORIES

Curv-o-mark layout tool and systems have earned a reputation for quality and consistency across a wide range of industries. Easy to use and made for an extended working life, these are tools to help bring precision to any layout task.

PIPE MARKERS



LEVELS AND FLANGE ALIGNING TOOLS

WRAP-A-ROUND



EASY TO USE

For a wide range of industries



DURABILITY

Extended working life



PRECISION

For any layout task



PIPE MARKERS

CENTERING HEAD – MAGNETIC FOR THOSE DIFFICULT ANGLES

- Fitted with an **adjustable dial bubble protractor**, this timeefficient mechanism can be used to locate and mark centre points on a pipe or specific angles.
- The PipePro Centring Head has been engineered with a **“Y” shaped** body design and a **2-1/2° increment degree-dial that rotates 360°’s**.
- The centre pin has been produced using **CNC manufactured Hardened and tempered Carbon Steel**.
- Magnets in the legs allow a **hands-free approach**, encouraging a safer and more accurate layout mark.

Product No	Description	Case Qty/MOQ
J1979	PipePro Centering head AL medium	1
J1980	PipePro Centering head AL large	1



Magnetic

LEVELS AND FLANGE ALIGNING TOOLS

MULTI ANGLE SPIRIT LEVEL – MAGNET CLAMPING

- The PipePro Spirit Level is a lightweight, durable and multi purpose level which includes an **adjustable protractor dial** and **magnetic base** to easily determine and set up angles.
- There are **two stationery vials** placed at 90° angles of each other which can be read from any surface of the level.
- This level has a **12” ruler** along its base for easy and precise measurements.
- Magnets on the bottom of the level allow a **hands-free approach**, encouraging a safer and more accurate work environment.

Product No	Description	Case Qty/MOQ
J1981	PipePro Aluminum level	1



FLANGE ALIGNMENT TOOL WITH VIAL LEVEL

- The PipePro Flange Alignment Tool is a **multifaceted pipefitting tool** used for alignment and finding/setting angles. Flange pins included.
- The Pipe Flange Aligner saves valuable fit-up time (up to 50% more efficient) while eliminating the frustration of balancing a level on the pins.
- Produced using **CNC manufactured Hardened and tempered Carbon Steel**.
- **Bubble vials** in both the pins and straight bar allow for perfect alignment.

Product No	Description	Case Qty/MOQ
J1982	PipePro Flange Aligner Tool	1




PIPE MARKERS

CONTOUR MARKERS

The Contour Marker consists of an X frame, calibrated protractor, and a triple-jointed marking arm adjustable to the line to be scribed. A soapstone crayon is required for each radius marker (not supplied). Contour marker is a compact tool design, time saving tool used to lay out pipe and structural steel joints. Ideal for quick precise layout of laterals at any angle, tees, wyes, crosses, elbows - any type or size of joint (for use on same size pipe intersections). Eliminates mathematical formulas. Can be used to lay out pipe from 1-1/2" (3.8 cm) to 18" (45.7 cm) diameter or structural steel members up to 18" (45.7 cm) in a right side up or upside down position.

EU Prod. No	US Prod. No	Description	Pipe Diameter	Case Qty/ MOQ
J1874	14771	#1 Marker standard	1.5" (3.8 cm) to 18" (45.7 cm) diameter	1
J1875	14772	#2 Adaptor standard	Use with #1 Contour Marker	1
J1877	14773	#4 Marker jumbo	8" (20.3 cm) to 48" (121.9 cm) diameter	1
J1878	14774	#5 Adaptor jumbo	Use with #4 Contour Marker	1



J1874



J1875



J1877



J1878

RADIUS MARKERS

Radius Markers have sturdy friction joints to maintain rigidity and accuracy, and are made from lightweight, rustproof aluminium for extended life. A soapstone crayon is required for each radius marker. Models available in 4 sizes for scribing circles up to 80°.

EU Prod. No	US Prod. No	Description	Pipe Diameter	Case Qty/ MOQ
J1884	14780	Radius marker mini	Up to 8" (20.3 cm) in radius	1
J1885	14781	Radius marker small	Up to 20" (50.8 cm) in radius	1
J1886	14782	Radius marker standard	Up to 24" (61 cm) in radius	1
J1887	14783	Radius marker jumbo	Up to 40" (101.6 cm) in radius	1



J1884



J1885



J1886



J1887

CENTERING HEADS

Centering Heads aid in the settings of centerlines, establishing angles and marks for butt-ins, locating points inside pipes and tanks, laying out keyways and measuring declivity.

EU Prod. No	US Prod. No	Description	Pipe Diameter	Case Qty/ MOQ
J1879	14775	#6 Centering head standard	1/2" (1.3 cm) to 4" (10.2 cm) diameter	1
J1880	14776	#7 Centering head jumbo	1" (2.5 cm) + diameter	1



J1879



J1880



PROTRACTOR

This 90-degree protractor has a matching locking lever to set and hold the tool at the desired angle. It is equipped with a 5/8 in. by 10 in. tapered arm to complete finding of angles or desired bends, or to determine any portions of elbows. The tool is mounted in a 3/4-in wide frame with a 3/8-in. by 6-in cast-in rod. It comes with a 25-pound pull magnetic base for holding the protractor frame in position. The unit can be used manually or with a magnetic base.



J1882

EU Product No	US Product No	Description	Case Qty/MOQ
J1882	14778	Protractor	1

MULTI TRAMMEL HEADS

Using standard half inch pipe as a trammel bar, heads feature radius set points cast in alignment with marking pointers for easy setting. Equipped with 1/4" (0,6 cm) screws and squared on the back side of perpendicular alignment. The stationary head holds a 1/4" (0,6 cm) case hardened center point. Moveable head has a 1/8" (0,3 cm) steel scribe hardened. Marks from 1-1/2" circle to any diameter needed, depending on length of pipe used as a trammel bar. Allen wrench, soapstone, scribe and pointer also included.



J1890

EU Prod. No	US Prod. No	Description	Pipe Diameter	Case Qty/MOQ
J1890	14785	#19 Multi trammel heads	All	1

LEVELS AND FLANGE ALIGNING TOOLS

PRO-MAG LEVEL

A lightweight, easy to use tool for determining angles. Unit is ideal for the pipe fitter, welder, jig builder or anyone who has to determine angles or do setup work. Includes two cast-in 25-pound (11.3 kg) pull magnets that hold securely to any steel surface. Unit has a 360° adjustable DSL with two 90° quadrants graduated in 2-1/2° increments. Cast in tables are used to convert degree-of-angle to rise-in-inches-per-foot or millimeters-per-meter. A groove on the bottom edge permits use on a small pipe.



J1881

EU Prod. No	US Prod. No	Description	Case Qty/MOQ
J1881	14777	#8 Pro-mag level	1

DIAL ANGLE FLANGE LEVEL

A versatile tool that can be used as a dial degree utility level or, with attachments, for two holding flange alignment.



J1891

EU Prod. No	US Prod. No	Description	Case Qty/MOQ
J1891	14786	#20 Dual-Angle Flange Level—Nonmagnetic; can be used on PVC Pipe	1

UNIVERSAL LEVEL

Universal level is a multi-purpose tool that features a 360° adjustable protractor dial that ensures accurate leveling and permits setting a predetermined pitch of a string of pipe, setting the angle of laterals to a precise degree, trueing vertical runs & two-holding flanges. For structural steel workers, the powerful holding magnets provide an extra hand. Electricians will find the level useful in laying out and lining up heavy conduit.

EU Prod. No	US Prod. No	Description	Case Qty/MOQ
J1904	14796	#33 Universal Level	1



J1904

PIPE FLANGE ALIGNER

Fast, accurate pipe construction is possible with this self-determining flange aligning tool. The Aligner inserts easily into pipe, centers snugly against the inside pipe diameter and automatically aligns with the pipe axis.

EU Prod. No	US Prod. No	Description	Case Qty/MOQ
J1883	14779	#10 Pipe Flange Aligner	1



J1883

UNIVERSAL LEVEL

The DSL is an adjustable bubble protractor used with a number of Curv-O-Mark Tools. The protractor covers 180 degrees through two 90 degree quadrants, reading in 2.5 degree increments. The bubble is cast in the aluminium dial.

EU Prod. No	US Prod. No	Description	Pipe Diameter	Case Qty/MOQ
J1905	14797	Contour Dial-Set-Level (DSL)	Adjustable Bubble Protractor	1



J1905

FLANGE ALIGNER BASE

Removes the difficulty of flange aligning and squaring. Tool holds a square in the needed position without tying up one's hands. Base is notched at either end for ease in aligning on the center line of the pipe. Two 25-pound (11.3 kg) pull, cast-in magnets for holding either a flat horizontal or vertical position. Base accepts either leg of a standard or combination aluminum square and works on pipe diameters from 1"+, requiring only the extension of the legs of the square being used to accommodate larger diameters.

EU Prod. No	US Prod. No	Description	Case Qty/MOQ
J1903	14795	#32 Flange Aligner Base	1



J1903

CENTERING PIN

A hardened steel pin for use with the standard centering head. Suitable for marking, but should not be used as a center punch.

EU Prod. No	US Prod. No	Description	Case Qty/MOQ
J1906	14798	Centering pin	1



J1906



WRAP-A-ROUND

Inexpensive tools for marking straight lines around pipe; made from flexible gasket material, providing resistance to both heat and cold. All Wrap-A-Rounds are available in two colours. These designate material type and service temperature. GG (grey) material is used for high temperature applications (up to 550°F) and B (black) material is used for temperatures up to 350°F. Both material types are asbestos free.



350°F (176°C)
BLACK

**HIGH
TEMPERATURE**

ASBESTOS FREE

550°F (288°C)
GREY



EU Prod. No	US Prod. No	Description	Color	Temperature	Size	Pipe Diameter	Case Qty/ MOQ
J1858	14752	Wrap-a-round 164B EX medium	Black	350°F (176°C)	3.88" (9.8 cm) x 4' (1.2 m)	3" (7.6 cm) to 6" (15.2 cm)	1
J1859	14753	Wrap-a-round 176B large	Black	350°F (176°C)	3.88" (9.8 cm) x 6' (1.8 m)	3" (7.6 cm) to 10" (25.4 cm)	1
J1860	14754	Wrap-a-round 177B EX large 7'	Black	350°F (176°C)	5" (12.7 cm) x 7' (2.1 m)	4" (10.2 cm) to 12" (30.5 cm)	1
J1861	14756	Wrap-a-round 179B EX large 9'	Black	350°F (176°C)	5" (12.7 cm) x 9' (2.7 m)	6" (15.2 cm) to 16" (40.6 cm)	1
J1865	-	Wrap-a-round 4,5 m roll	Black	350°F (176°C)	7" (17,8 cm) x 4.5 m - no print	-	1



WRAP-A-ROUND ROLLS

Prod. No	Description	Color	Temperature	Size	Case Qty/MOQ
J1863	Wrap-a-round 100 meters roll*	Black	350°F (176°C)	5"(12,7cm) x 100 m - no print	1
J1864	Wrap-a-round 100 meters roll*	Black	350°F (176°C)	7" (17,8 cm) x 100 m - no print	1

*100 m lengths do not guarantee 100 m of wrap and there can be 5% discrepancy

NEW

ARC FLASH PPE



Why Oberon?

The original innovator of Arc Flash products, Oberon is dedicated to engineering, testing standards, and being American made. We can't stop and won't stop providing for our customer's safety.

Testing

We help write ASTM and ANSI Standards. We also lead in our research, product development, laboratory testing and manufacturing processes.

Innovation

With Oberon's "nearly clear" shield technology, you can now see all the colors of the wires you are working on.

Made in USA

We aren't just made in the U.S., we are 100% manufactured in house. As engineers, we develop innovative electrical safety solutions.

THE POWER OF CLARITY True Color Grey (TCG)

What is TCG?

Struggling to safely see the wire colors while still protecting yourself from an arc?

Our **True Color Grey (TCG)** product line combats that problem. It's finally solved the biggest problem electricians face when wearing appropriate arc flash protection, **the issue of color distortion through protective shields.**

NEARLY CLEAR SHIELD



PATENTED TECHNOLOGY




ARC FLASH PROTECTION



CLEARLY DEFINE COLORS



ZERO COLOR DISTORTION



Oberon is not just a manufacturing company, we are an engineering company that develops innovative electrical safety solutions. At Oberon it is our mission to protect the welfare of the individual while adding value to a company's overall safety program.



HEALTH SAFETY PRODUCTIVITY

Finding a better way

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu

BEST

FACE SHIELD

● ● ●
**ARC FLASH
FACE SHIELD**
Class 1

NEW



● ● ●
**ARC FLASH
FACE SHIELD**
AR_{LIM} 25 cal/cm²

NEW



SUIT KIT

● ● ●
**75 CAL TCG™
ARC FLASH
SUIT KIT**
ATPV 76 cal/cm²

NEW



NEW

ARC FLASH PROTECTION

Oberon™ Arc Flash Protection



ARC FLASH FACE SHIELD

High Performance Arc Flash Protective Face Shield Kit

- Complies with **GS-ET-29:2019-06** (Electric Arc, Box Test, Class 1 and Visible light transmittance (VLT), Class 0), **EN 166:2001** (Optical class 1, Increased robustness (S), Protection against high-speed particles (medium energy impact) (B), Resistance to surface damage by fine particles (K), Protection against short circuit electric arc (8)) and **EN 170:2002** (Protection class 2C-1.2)
- Oberon's innovative **True Colour Grey (TCG™)** arc flash face shield features a patented nearly clear technology that allows a **maximum color acuity** while performing common electrical work tasks.
- The TCG™ G1 face shield is available with an **anti-scratch** and/or **anti-fog coating** and attachment clips (available for different hard caps).
- Material: Polycarbonate
- Color: Clear Grey (TCG™)
- Thickness: 2,6 mm
- Weight: 425 g
- Made in the USA



True Colour Grey (TCG)

- Clearly define colors -
- Zero color distortion -



ANTI-SCRATCH COATING



Product No	Description	ARC Class	Case Qty/ MOQ
TCG-EU-G1-124R	TCG Series Class 1 Arc Flash Face Shield with Ratchet Headgear	1	1
TCG-EU-G1-126R	TCG Series Class 1 Arc Flash Face Shield with Anti-Scratch Coating and Ratchet Headgear	1	1
TCG-EU-G1-126AFR	TCG Series Class 1 Arc Flash Face Shield with Anti-Scratch, and Antifog Coating and Ratchet Headgear	1	1
TCG-EU-G1-124A80	TCG Series Class 1 Arc Flash Face A8 Adapter	1	1
TCG-EU-G1-126AFA80	TCG Series Class 1 Arc Flash Face Shield Kit with Anti-Scratch and Antifog Coating and A8 Adapter	1	1
TCG-EU-G1-024	TCG Series Class 1 Replacement Arc Flash Face Shield	1	1
TCG-EU-G1-026AF	TCG Series Class 1 Replacement Arc Flash Face Shield Kit with Anti-Scratch, and Antifog Coating	1	1



LARGE VIEWING AREA



PROTECTION CLASS 1



ATTACHMENT CLIPS

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu




Oberon™ Arc Flash Protection



ARC FLASH FACE SHIELD

High Performance Arc Flash Protective Face Shield Kit

- Complies with **GS-ET-29:2019-06** (Electric Arc, Box Test, Class 2 and Visible light transmittance (VLT), Class 2), **EN 166:2001** (Optical class 1, Increased robustness (S), Protection against high-speed particles (medium energy impact) (B), Resistance to surface damage by fine particles (K), Protection against short circuit electric arc (8)) and **EN 170:2002** (Protection class 2C-2)
- Oberon's innovative **True Colour Grey (TCG™)** arc flash face shield features a patented nearly clear technology that allows a **maximum color acuity** while performing common electrical work tasks.
- Kit includes TCG™ G2 shield with side shield extenders, lower chin guard **anti-scratch** and **anti-fog coating** and attachment clips (available for different caps).
- Material: Polycarbonate
- Color: Clear Grey (TCG™)
- Thickness: 2,6 mm
- Weight: 425 g
- Arc Rating (AR_{LIM}): 25 cal/cm²
- Made in the USA



True Color Grey (TCG)

- Clearly define colors -
- Zero color distortion -



CE
0161

Product No	Description	AR _{LIM}	Case Qty/MOQ
TCG-EU-G2-K25	TCG Series Class 2 Arc Flash Face Shield Kit with Anti-Scratch and Antifog Coating	25 cal/cm ²	1
TCG-EU-G2-K25A4	TCG Series Class 2 Arc Flash Face Shield Kit with A4 Adapter, Anti-Scratch, and Antifog Coating	25 cal/cm ²	1
TCG-EU-G2-K25A8	TCG Series Class 2 Arc Flash Face Shield Kit with A8 Adapter, Anti-Scratch, and Antifog Coating	25 cal/cm ²	1
TCG-EU-G2-K25WBA	TCG Series Class 2 Arc Flash Face Shield Kit with WBA Adapter, Anti-Scratch, and Antifog Coating	25 cal/cm ²	1



SIDE EXTENDERS



CHIN GUARD



ATTACHMENT CLIPS

NEW

ARC FLASH PROTECTION



Oberon™ Arc Flash Protection

ARC FLASH SUIT KIT

Arc Flash Hood, Coat, and Bib Suit Kit

- Complies with **GS-ET-29:2019-06** (Electric Arc, Box Test, Class 2 and Visible light transmittance (VLT), Class 2), **EN 166:2001** (Optical class 2, Increased robustness (S)) and **EN 170:2002** Protection class 2C-2
- Complies with **IEC 61482-2:2018** against the risk of burn provoked by electrical arc of 7kA (APC=2) according to the standard EN 61482-1-2:2014
- Lightweight suit is made from a proprietary blend of arc rated, **inherently flame resistant, aramid fibers.**
- Nearly clear TCG Series hood window provides **100% true color acuity** and includes **anti-fog** and **anti-scratch** resistant coatings. Hood comes equipped with an optional ventilation system and LED light for maximum comfort and vision while working.
- Arc flash face shield is made from a durable polycarbonate for long lasting protection from harsh environments.
- Knit cuff, dual-stage zipper front closure for easy on/off.
- Adjustable waist and suspenders for a customized fit.
- Reflective day/night striping on arms and legs for increased visibility.
- Color Black
- Made in the USA



Arc Flash Protection
Arc Rating (ATPV):
- 76 cal/cm²



75 CAL TCG™ ARC FLASH HOOD, COAT, AND BIB SUIT KIT (ATPV 76 cal/cm²)

Sizes: S-5XL

Product No	Size	Case Qty/MOQ
TCG75B-S	S	1
TCG75B-M	M	1
TCG75B-L	L	1
TCG75B-XL	XL	1
TCG75B-2XL	2XL	1
TCG75B-3XL	3XL	1
TCG75B-4XL	4XL	1
TCG75B-5XL	5XL	1

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
HVS-4B-PM	Fresh Air Arc Flash Hood Ventilation System	1
LED_LAMP	Hood Mounted L.E.D. Light	1

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu

NEW

ARC FLASH PROTECTION



HEALTH SAFETY PRODUCTIVITY
Finding a better way

FACE & EYE PROTECTION PPE

Used in conjunction with protective eyewear, Jackson Safety brand face shields provide a high degree of on-the-job protection for **high heat applications, grinding, flying debris, and splash protection**. We offer a wide variety of material types and lens tints for extensive coverage.

Please note: Always wear safety glasses when using face shields.

EYEWEAR IS MANDATORY

In many workplace environments, safety eyewear is mandatory due to the range of day-to-day tasks that can cause serious injuries to the eyes. Also safety eyewear is an important part of many employees' everyday workwear.

Safety glasses provide protection from **dust, dirt, flying debris, and other projectiles** created when work operations involve cutting, hammering, crushing, and other related operations.

Safety goggles besides providing protection from **dust, dirt, flying debris, and other projectiles**, also provide protection from **splashes and burns**.

FACE SHIELD - ANOTHER LAYER OF PROTECTION

Used in conjunction with protective eyewear, Jackson Safety® Face Shields provide a high degree of on-the-job protection for **heat applications** as well as **grinding, flying debris, splash protection, and more**.

MATERIAL TYPES

PET

- A low-cost, recyclable option

Polycarbonate

- Impact performance
- Good performance against heat
- Excellent cold flexibility

LENS TINTS

Clear

Allows for maximum visible-light transmission.


IRUV

Worn for applications and in environments where others are performing welding tasks such as torch brazing, torch soldering, gas welding, and oxygen cutting. Available in Shades 3.0 and 5.0.

SPECIAL TINTS

Enhances vision and reduces glare by blocking light transmission. Available in light, medium, and dark green tints.

Selecting the right PPE to sufficiently reduce exposure to hazards is essential to work safety.



HEALTH SAFETY

PRODUCTIVITY

Finding a better way

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu

GOOD

BETTER

BEST

FACE SHIELDS

JACKSON®
F4XP



JACKSON®
MAXVIEW





JACKSON®
QUAD 500



WINDOW OPTIONS

FOR F4XP



Hard Hat Compatible



Combinable with
AIRMAX+



GOGGLES

JACKSON®
GPL500



SELLSTROM®
ODYSSEY SERIES



GLASSES

JACKSON®
SG



SELLSTROM®
PREMIUM



Jackson Safety[®] Face Shields

F4XP

Premium Face Shield Crown and Headgear

FACE PROTECTION



370[™]
SPEED DIAL

EASY GRIP-EASY TURN

Fast & easy
headgear adjustment



OPTIMUM SAFETY

PC high impact window




MAXIMUM COMFORT

Replaceable extra absorbent
foam cushioned sweatband




**UNIVERSAL PIN
PATTERN WINDOW
MOUNTING SYSTEM**
FOR USE WITH
MULTIPLE JACKSON
WINDOW OPTIONS

WINDOW OPTIONS



**B
TYPE**
MOLDED



**R
TYPE**
MOLDED

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu

Jackson Safety® offers one of the most extensive universal mount face shield programs in the world! The F4XP premium face shield crown and headgear is designed for maximum comfort, productivity, and ease of use. It can be used with all universal style pin pattern windows.

- Oversized **370 Speed Dial™** ratcheting headgear guarantees a precise fit every time
- Patented **"Qwik-Fit"** swivel headband adjusts the suspension gear to the user's head for superior comfort
- Comes standard with a soft fabric sweatband for increased comfort and convenience
- Oversized crown built with premium high impact rated material for maximum protection
- (14262) F4XP Kit features premium 20 x 38.75 x 0.015 cm molded B type polycarbonate window (29087)
- Exclusive quick-change install and removal system ensures fast and efficient window changes
- **Speed Dial 370™** headgear offers the fastest, easiest, and most efficient ratcheting headgear system in the industry



WINDOW OPTIONS

R type, molded, V8B

B type, molded



Shade 3



Shade 5



Clear



Please note: Always wear safety glasses when using face shields.

F4XP

Product No	Description	Case Qty/MOQ
14260	F4XP Crown & 370 Speed Dial Headgear only	1
14262	F4XP Premium Face Shield (crown, headgear, 29087 window B type)	6

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
29058	Face Shield PC window, R type, molded, Shade 3, V8B	12
29059	Face Shield PC window, R type, molded, Shade 5, V8B	12
29087	Face Shield PC window, B type, molded, clear	12
20695	370 Speed Dial™ Replacement Headgear	1
J5237	370 sweat band	2
38424	Hard Hat Interchange System - for F4XP and Maxview	1
46998	370 Speed Dial™ Replacement Shaft & Knob repair kit (longer threads)	1

Jackson Safety[®] Face Shields

MAXVIEW™



Premium Face Shield

FACE PROTECTION

EXCLUSIVE!



CLEAR VISION

Premium Anti-Fog Coating

370™
SPEED DIAL

MAXIMUM COMFORT

Fast & Easy Headgear Adjustments



OPTIMUM SAFETY

High Impact Polycarbonate Window



INDUSTRY-LEADING PANORAMIC VIEW

Hard Hat Compatible




Combinable with AIRMAX+



The MAXVIEW™ is a premium face shield that features an oversized window to deliver exceptional optical clarity and an industry-leading panoramic view. A built-in side and chin guard protects against splash and flying debris while the extended crown keeps you protected from overhead hazards.

- The Maxview is designed to offer maximum face protection coverage, incorporating an extra-large clear polycarbonate window that is available in two options: without anti-fog treatment or with our premium anti-fog coating
- Extended top-of-head coverage protects against hazards from above
- Built-in side and chin guard protects against splash and flying debris
- Lightweight and balanced construction for all-day comfort
- Up and down detents lock securely in place until manually adjusted
- The high-impact PC window is then framed on the side and chin areas and features an extra-large crown
- This combination translates into maximum coverage, head to lower neck, and side to side. In fact, Maxview offers a full 1" of extra window protection on each side (2" total) versus the leading face shield model, ensuring best-in-class protection and exceptional panoramic views. Check and compare!
- Given its amazing coverage and viewing area, the Maxview is incredibly light
- Maxview incorporates engineered detents that lock in both the up and down positions
- Designed to be used with most goggles, respirators, and all safety glasses
- Premium **370 Speed Dial™** ratcheting headgear suspension - The 370 Speed Dial™ is highlighted by Jackson's famous "Easy Grab-Easy Turn" oversized adjusting dial and patented swivel adjuster band, achieving maximum comfort and fit quickly, easily, and conveniently—saves time, increases productivity, and improves worker safety!



WINDOW DIMENSIONS

9.06 x
13.38 x
.04 (inch)

23 x
33,8 x
0,1 (cm)



14200



Please note: Always wear safety glasses when using face shields.

MAXVIEW

Product No	Description	Case Qty/MOQ
14200	Maxview Premium Faceshield	4
14201	Maxview Premium Faceshield anti-fog coating	4

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
14214	Clear replacement window	36
14215	Clear replacement window anti-fog	36
20695	370 Speed Dial™ Replacement Headgear	1
J5237	370 sweat band	2
38424	Hard Hat Interchange System - for F4XP and Maxview	1
46998	370 Speed Dial™ Replacement Shaft & Knob repair kit (longer threads)	1

Jackson Safety® Face Shields

QUAD 500™

Premium Multi-Purpose Face Shield

FACE PROTECTION

EXCLUSIVE!



CLEAR VISION

Premium Anti-Fog Coating

370™
SPEED DIAL

MAXIMUM COMFORT

Fast & Easy Headgear Adjustments



VERSATILITY

Shade 5 or 8 IR Flip Windows

PREMIUM MULTI-PURPOSE FACE SHIELD



Hard Hat Compatible



Combinable with AIRMAX+



Optimum Safety
High Impact Polycarbonate Window



The QUAD 500™ is a premium multi-purpose face shield that offers an unparalleled range of face and eye protection solutions. Designed for maximum above-the-neck protection, this product is excellent for heavy-duty grinding, while optional Shade 5 and 8 visors make it ideal for plasma cutting and oxy/acetylene cutting, brazing, and much more.

- All Quad 500 products have been designed to offer maximum above-the-neck face protection, including an extra-large molded polycarbonate window featuring our premium anti-fog coating
- For added protection, the molded window is completely framed on the sides and chin and features an extra-large crown
- The Quad 500 offers exceptional panoramic views with virtually no distortion
- Ideal for grinding, cutting, oxy/acetylene cutting, plasma cutting, brazing and more
- Engineered detents lock in the up or down position until manually adjusted
- Premium **370 Speed Dial™** ratcheting headgear suspension - The 370 Speed Dial™ is highlighted by Jackson's famous "Easy Grab-Easy Turn" oversized adjusting dial and patented swivel adjuster band, achieving maximum comfort and fit quickly, easily, and conveniently—saves time, increases productivity, and improves worker safety!



14220

WINDOW DIMENSIONS

9 x
12.125 x
.06 (inch)

22,8 x
30,8 x
0,15 (cm)

Available with optional flip-up/flip-down extra-large IR window

- The Quad 500 face shield is also available with an exclusive, **extra-large flip-up/flip-down IR window** for added eye protection when used in applications producing infrared hazards
- It's easy and safe—by keeping the Quad 500 clear window in the down position at all times, the operator can flip the IR shaded window up or down, providing uninterrupted face protection during cutting and grinding operations
- Flip windows available in:
 - **Shade 5 IR** for oxy/acetylene cutting, brazing, and plasma cutting
 - **Shade 8 IR** for oxy/acetylene welding and plasma cutting
- Both the clear and flip windows feature detents that lock in both the up and down positions
- Designed to be used with most goggles, respirators, and all safety glasses



14230

FLIP VISOR DIMENSIONS

4.375 x
9.25 x
.07 (inch)

11 x
23,5 x
0,18 (cm)

Please note: Always wear safety glasses when using face shields.



QUAD 500

Product No	Description	Case Qty/MOQ
14220	Quad 500 Premium Multi-Purpose Face Shield	4
14230	Quad 500 Premium Multi-Purpose Face Shield Flip Visor Shade 5 IR	4
14233	Quad 500 Premium Multi-Purpose Face Shield Flip Visor Shade 8 IR	4

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
14250	21.8 x 20.9 x 0.15 cm clear anti-fog window	12
14255	10.94 x 23.12 x 0.017 cm Shade 5 IR visor	12
14258	10.94 x 23.12 x 0.017 cm Shade 8 IR visor	12
20694	370 Speed Dial™ Replacement Headgear	1
J5237	370 sweat band	2
38423	Hard Hat Interchange System - for Quad 500	1

Jackson Safety[®] Safety Goggles

GPL500

Premium Goggle / Face Shield

EYE & FACE PROTECTION



**DETACHABLE
FACE SHIELD**



**99.9% UV PROTECTION
SUPERIOR SAFETY**



**ULTRA-SOFT BODY
MAXIMUM COMFORT**

**FLIP-UP/FLIP-DOWN
POLYCARBONATE FACE
SHIELD DELIVERS
ADDED PROTECTION
FROM SPLASH, DUST,
AND FLYING DEBRIS**



The GPL500 premium safety goggle with flip-up detachable face shield features an ultra-soft body design that easily conforms to your face to deliver a snug, yet comfortable seal. Indirect vents protect against chemical splash while anti-fog coating provides superior optical quality and keeps work uninterrupted.

- Flip-up/flip-down polycarbonate face shield delivers added protection from splash, dust, and flying debris
- Face shield is easily detachable
- Provides 99.9% UV protection
- Specially designed to fit over prescription eyewear
- Clear version is ideal for industrial, mining, construction, pressure washing, grinding and more
- Shade 3 and 5 IR are ideal for oxy/acetylene cutting, brazing, and plasma cutting operations



21000 Clear



21001 Shade 3



21002 Shade 5



GPL500

Product No	Description	Case Qty/MOQ
21000	GPL500 Goggles, Blue, Clear, anti-fog	6
21001	GPL530 Goggles, Green, Shade 3 IR, anti-fog	6
21002	GPL550 Goggles, Green, Shade 5 IR, anti-fog	6

Sellstrom® Safety Goggles

ODYSSEY II

Premium Safety Goggle

EYE PROTECTION



EXCEPTIONAL PANORAMIC VIEWS

Dual lens models offer Anti-Fog treatment on inside lens – Anti-Scratch on outside lens



Soft goggle body conforms to your face for all day comfort



Specially designed to fit over prescription eyewear



Ventilation space minimizes fogging



OPTIMUM SAFETY

B Rated impact resistance

N Rated resistance to fogging of oculars (except S80231 & S80210)

- The Odyssey II premium goggle series has been a market leader for 15+ years
- Unique "Dual Sealed" UV absorbing polycarbonate lens technology (except single lens Clean Room and Shade 5 cutting models)
- Dual lens models offer Anti-Fog treatment on inside lens- Anti-Scratch on outside lens
- Industrial, Chemical Splash and Shade 5 models feature top and bottom Indirect Vents providing superior ventilation and the safest operator conditions
- 100% fog free, even in the worst conditions
- Stylish soft goggle body conforms to your face, providing a comfortable yet snug seal and maximum protection against liquids and dust
- Exceptional panoramic views
- Specially designed to fit over prescription eyewear
- Simply the best goggle in the market



Odyssey II Series Industrial Dual Lens Model

- Our most popular Odyssey II model
- Ideal for a wide variety of applications including construction sites, shop use and general industrial work-place protection
- Complete with extra wide flame retardant cloth strap

Product No	Body Color	Vent Type	Lens	Coatings	Tint	Case Qty/ MOQ
S80200	Blue	Indirect	Dual	HC/AF	Clear	10



S80200

Odyssey II Series Chemical Splash Dual Lens Goggle

- Specifically designed for those applications where the risk of a chemical splash exists
- Complete with extra wide grey, latex free neoprene strap

Product No	Body Color	Vent Type	Lens	Coatings	Tint	Case Qty/ MOQ
S80201	Blue	Indirect	Dual	HC/AF	Clear	10



S80201

Odyssey II Series Clean Room Goggle

- Specifically designed for clean room applications
- Unlike traditional, single use clean room goggles, these premium goggles are re-usable and designed for multi-use clean room applications
- Can be autoclaved
- Top-Vented body with clear uncoated lens
- Complete with extra wide grey, latex free neoprene strap

Product No	Body Color	Vent Type	Lens	Coatings	Tint	Case Qty/ MOQ
S80231	Blue	Top-Vented	Single	Uncoated	Clear	10



S80231

Odyssey II Series Shade 5 Cutting Goggle

- Features a durable Shade 5 IR (single) lens
- Specifically designed for grinding, chipping and brazing operations in fabrication and welding shop applications
- Complete with extra wide flame retardant strap

Product No	Body Color	Vent Type	Lens	Coatings	Tint	Case Qty/ MOQ
S80210	Black (high temp)	Indirect	Single	Uncoated	Shade 5 IR	10



S80210

A SELLSTROM EXCLUSIVE!



HEALTH SAFETY PRODUCTIVITY
Finding a better way

Jackson Safety[®] Safety Glasses

JACKSON SG

Premium Protective Eyewear

EYE PROTECTION



READY-TO-USE

All standard packs of 12 come with an attractive ready-to-use retail dispenser box



WRAPAROUND STYLE LENSES

Extend protection to the periphery

OUTSTANDING FRAME DURABILITY



Variety of styles available for maximum safety and productivity



Soft nose piece offers superior comfort



Provides 99.9% U.V. protection



All models come complete with a convenient neck cord to prevent loss



The Jackson[®] SG series is the only genuine safety eyewear product available under the Jackson Safety[®] brand. Designed with the wearer in mind, this premium product offers outstanding comfort, fit, style, and durability. Available in a variety of frames and lenses, the Jackson[®] SG family of products is the clear choice in eye protection.

- Specially designed to offer maximum eye coverage and protection, incorporating a variety of lens shades and coatings
- Made with premium virgin polycarbonate high impact, optically correct wrap style lenses, providing 99.9% UV protection
- Soft temples are curved inward from front to back to ensure a super comfortable, slip-resistant fit
- As an added advantage, the temple tips are extremely flexible, further ensuring a snug fit while relieving any undue pressure to the user—these glasses are extremely comfortable and stay on during use!
- Frames have been developed using a specially formulated ultra-flexible, ultra-strong base material that provides incredible durability, significantly reducing breakage—check and compare!

Product No	Frame Color	Lens Design	Lens Description	Lens Coating	Work Environment	Case Qty/ MOQ
50000	Black	Clear	Maximum visible light	Anti-scratch	Indoor/General	12/Box
50001	Black	Clear	Maximum visible light	Anti-fog	Indoor	12/Box
50002	Black	Amber	Ideal for low lit working environments	Anti-scratch	Low Light	12/Box
50003	Black	Amber	Ideal for low lit working environments	Anti-fog	Low Light	12/Box
50004	Black	I/O	Reduces glare without distorting original color	Anti-scratch	Indoor/Outdoor	12/Box
50005	Black	Blue Shield	Ideal for bright outdoor conditions	Anti-scratch	Outdoor	12/Box
50006	Black	Smoke Mirror	Smoke tinted with outer mirror finish coating	Anti-scratch	Outdoor	12/Box
50007	Black	Smoke Mirror	Smoke tinted with outer mirror finish coating	Anti-fog	Outdoor	12/Box
50009	Black	Blue Mirror	Smoke tinted with outer blue mirror finish	Anti-scratch	Outdoor	12/Box

JACKSON® SG IR

INFRARED PROTECTION

Product No	Frame Color	Lens Design	Lens Description	Work Environment	Case Qty/ MOQ
50008	Black	IR 3.0	Protects against infrared and UV radiation	Light cutting/ brazing	12/Box
50010	Black	IR 5.0	Protects against infrared and UV radiation	Medium cutting/ brazing	12/Box

JACKSON® SG

READERS

Product No	Frame Color	Lens Design	Reader Strength	Lens Description	Work Environment	Case Qty
50040	Black	Clear	1.5	Maximum visible light	Indoor/General	12/Box
50041	Black	Clear	2	Maximum visible light	Indoor/General	12/Box
50042	Black	Clear	2.5	Maximum visible light	Indoor/General	12/Box

SPARE PARTS & ACCESSORIES

Product No	Description	Case Qty/MOQ
50099	JACKSON Microfiber bag for Safety Glasses 120x200 mm	50



50000/50001



50002/50003



50004



50005



50006/50007



50009



50008



50010



50040/50041/50042



Sellstrom® Safety Glasses

XP410, XP450, XP460

Safety Glasses - Premium Series

EYE PROTECTION



**CLEAR VISION
WITH PREMIUM VIRGIN
POLYCARBONATE HIGH
IMPACT LENSES**



**Sleek, modern co-molded
temples offer outstanding
style and comfort**



**Soft nose piece for
added comfort**



**Two piece
polycarbonate lens**



**Ventilation space
minimizes fogging**



**EXCLUSIVE
Sta-Clear™**

**ANTI-FOG/
ANTI-SCRATCH**

Washable lens treatment

K Rated resistance
to surface damage
by fine particles

N Rated resistance
to fogging of oculars

- Sellstrom offers a wide range of super premium, high quality safety glasses
- Rich in style, comfort, fit and safety
- Each model has been designed to exceed the needs of the most demanding user
- Made with premium virgin polycarbonate high impact lenses
- Lenses are specially coated with Sellstrom's premium Sta-Clear™ Anti-Fog/Anti-Scratch washable lens treatment for maximum performance, durability and life
- Virtually 100% fog free for optimum operator safety
- Provide 99.9% UV protection

XP410 Safety Glasses

- The XP410 offers feather light frames, great style, maximum comfort & fit
- So light, you won't even remember you have them on!
- High impact optically correct wrap style unitary PC lens offers superior coverage
- Stylish, ultra-thin black/green co-molded temples
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal
- Soft, co-molded above-the-eye band provides superior eye coverage
- Soft, co-molded nose piece with flexible fingers ensures maximum comfort

Product No	Temple Color	Lens Tint	Lens Coating	Case Qty/MOQ
S72000	Black/Green	Clear	Sta-Clear™ HC/AF	12/Box
S72001	Black/Green	Smoke	Sta-Clear™ HC/AF	12/Box



S72000



S72001

XP450 Safety Glasses

- The XP450 is our sportiest looking safety glass
- Edgy, sleek and modern co-molded temples offer outstanding style and comfort
- High impact optically correct wrap style two-piece PC lenses offer superior coverage
- Lenses are mounted to the frame with a ventilation space, minimizing fogging
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal
- Soft nose piece offers all day comfort

Product No	Temple Color	Lens Tint	Lens Coating	Case Qty/MOQ
S72300	Black/Red	Clear	Sta-Clear™ HC/AF	12/Box
S72301	Black/Red	Smoke	Sta-Clear™ HC/AF	12/Box



S72300



S72301

XP460 Safety Glasses

- The XP460 offers a sporty, stylish heavy duty frame and temple design
- Our only full frame premium safety glass
- High impact optically correct two-piece PC lenses offer superior coverage
- Stylish black/green co-molded temples & soft nose piece offers all day comfort
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal

Product No	Temple Color	Lens Tint	Lens Coating	Case Qty/MOQ
S72400	Black/Green	Clear	Sta-Clear™ HC/AF	12/Box
S72401	Black/Green	Smoke	Sta-Clear™ HC/AF	12/Box



S72400



S72401



GENERAL PPE

BE AWARE OF YOUR SURROUNDINGS

Making the workplace safe is everyone's responsibility, so make sure that you check your work area and remove all potential hazards before starting.

This small step can ensure you have a productive day at work and arrive home in the same condition that you went to work.

PPE IS THERE TO SAVE YOUR LIFE – USE IT.

It is essential that you wear the correct PPE for the job application. The fit, comfort, colour and certification of the product needs to be right to enable you to deliver your best work. Check them all before you start.

Our livelihoods depend on us doing our best work. The best work is only achieved when your health and safety is guaranteed.

Your first line of defense:

FALL PROTECTION

HEAD PROTECTION

HEARING PROTECTION

KNEE PROTECTION

SLIP PROTECTION



Work is something we all do. The quality of work with safety and health is a basic part of a safety culture. Building a culture that lasts 365 days a year is our goal.

Fall Protection



Fall Safe® continues to lead through innovation, with the sole purpose of keeping workers safe and protecting the lives of countless professionals working at heights around the globe.

Earplugs



Choose from a wide variety of hearing conservation solutions in both disposable and reusable ear plugs.

Knee Pads



Excellent for welders, ship builders, roofers, construction workers, flooring installers and anywhere hard working Knee Pads are required.

Traction Aids



The solution that gives you the utmost confidence on ice and snow. Ice Diamond™ Tungsten Carbide Spikes provide powerful traction with maximum grip.



HEALTH SAFETY

PRODUCTIVITY

Finding a better way

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu

GOOD

BETTER

BEST

HEAD PROTECTION

FALL PROTECTION



Visit fallsafe-online.com/

HEARING PROTECTION



H10 EARPLUGS
DISPOSABLE

H20 EARPLUGS
REUSABLE



KNEE PROTECTION

KNEE PADS
STANDARD



KNEE PADS
GEL



SLIP PROTECTION

K1 MID-SOLE



TRACTION AIDS

K1 SG1



DUE NORTH
GRIP PRO



DUE NORTH
HEEL TRACTION
AIDS



DUE NORTH
LIGHT INDUSTRIAL



DUE NORTH
ALL PURPOSE
INDUSTRIAL



DUE NORTH
HEAVY DUTY



NEW

FALL PROTECTION PPE ...

FS
FALL SAFE®

FALL PROTECTION



A / Eine / Une Marque / Una Marca / Un Marchio

 **SureWerx®**

Brand / Marke

NEW

FALL PROTECTION

QUALITY. EFFICIENCY. COMFORT. SOCIAL AWARENESS

First, we investigate. We navigate through our customer daily needs. We meet and we discuss. Then we start creating. We design our products, we use human forces along with technological forces to create unique solutions. Then we explore the market and we look for premium raw material. We transform our ideas on real products. We manufacture them and test them exhaustively. When we are 100% sure of every part of that product we start the certification process.

Innovative technology

We create our products using innovative technology and the experience and passion of a multidisciplinary team.

Design with quality

Our production is based in the quality of our raw material, the sustainability of our processes and the safety of our clients.

Dedicated support

We're committed to ensure that our products and services meet your expectations and we are always available to hear your feedback!

FALL SAFE® is a synonym for highest-quality. Our customers expect it, and we go out of our way to deliver it. This includes not only how we develop our products, but also how we test them. Our exhaustive battery of tests ensure our products exceed: EN – European standards; ANSI/OSHA – American standards; CSA – Canadian standards.

For more information visit:
fallsafe-online.com/



HEALTH SAFETY PRODUCTIVITY
Finding a better way

HEARING PROTECTION

PROVIDE SAFE WORKING CONDITIONS



Why is Hearing Protection important?


Continued exposure to noise above certain levels causes permanent hearing damage. Hearing cells cannot be repaired nor do they regenerate.

When does it become a problem?

Workers are exposed to noise levels at different frequencies that may vary depending on the type of industry and activities performed. Noise levels above 80dB will start causing progressive hearing damage as the noise intensity and exposure increase.

Getting to Know Hearing

Hearing protection should be taken very seriously and protectors, should be comfortable to wear and offer sufficient attenuation to prevent hearing loss based on individual protection needed.



What Level of Protection Do You Need?

The SNR number gives consumers a methodology to judge performance among different models of hearing protectors. A higher number indicates more effective protection against sound.

LOW SNR
21-24

MEDIUM SNR
25-26

HIGH SNR
27-33



Employer's responsibilities

Under EU noise legislation, employers must provide the option of suitable hearing protection where noise exceeds 80dB(A). At 85dB, employers must provide and strictly enforce the use of Hearing Protection.

European standards require that hearing protection equipment is tested to determine the Single Number Ratings (SNR) of each product. This is calculated when environmental noise level and the desired final noise levels, at the end organ of hearing, are subtracted.

Jackson Safety[®] Hearing Protection provides quality, comfort and ease-of-use in reusable and disposable styles for excellent attenuation in a wide variety of noise-level environments. For hearing protection solutions, choose from a wide variety of earplugs designed to make your workday safer and more productive.

H10 HEARING PROTECTION

Disposable Earplugs

- Soft roll-down foam for easy insertion
- High visibility for easy compliance monitoring
- Each pair individually bagged
- Corded options available
- Also available in corded metal detectable option
- Longer and softer for helping correct insertion
- Ideal releasing time
- Ideal for high noise environments



Ideal for high noise environments



67212



13821

H10 HEARING PROTECTION


Product No	Description	SNR Rating	Box Qty	Case Qty/MOQ
67212	Disposable earplugs corded	31 dB	100 Pairs	8 Boxes
13821	Metal detectable corded	34 dB	100 Pairs	8 Boxes



H20 HEARING PROTECTION

Reusable Earplugs

- High visibility for easy compliance monitoring
- Soft design to ensure comfort and conformity
- Specific design for easier holding and donning
- Each pair individually bagged in resealable bags to maximize productivity and efficiency
- Ideal for medium-low noise environment



Ideal for medium-low noise environments



13822



67220

H20 HEARING PROTECTION

Product No	Description	SNR Rating	Box Qty	Case Qty/MOQ
13822	Reusable metal detectable corded	27 dB	100 pairs	4 Boxes
67220	Reusable earplugs uncorded	27 dB	100 pairs	4 Boxes



KNEE PROTECTION

JACKSON®

SAFETY



Excellent for welders, ship builders, roofers, construction workers, flooring installers and anywhere hard working Knee Pads are required.



Hard Plastic outer shells are extremely strong



Hinged with metal rivet for ease of movement while kneeling or walking



Non-Marking Grip-Strip on any surface



Soft elastic woven straps with reinforced sewn ends are placed well above and below the knee, will not bind behind knee



Closed cell inner foam pad offers the ultimate in comfort and protection



CE CE RATING: LEVEL 1

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu

Jackson Safety Ultra-Flex Knee Pads

- The articulating hinged design ensures proper placement all day long – set them once and forget you are even wearing them
- Soft elastic, extra-wide woven straps with reinforced sewn ends are placed well above and below the knee – no Velcro, which contaminates over time
- Straps stay aligned with your legs in any position – will not bind behind the knee
- Built with strong, flexible hard plastic outer shells that extend well above, below and to the inside/outside of the knee for added knee and leg protection
- Metal rivet hinge ensures long lasting protection while kneeling or walking
- On the outside, pads feature a perfectly placed curved non-marking Grip Strip
- Grip-Strip designed for use in all applications without gumming up
- On the inside, pads offer a long lasting 16 mm (5/8") closed cell foam pad for maximum comfort and protection
- Sweat does not penetrate closed cell foam – lasts longer and won't "stink"
- Our Jackson Safety Ultra-Flex Gel version offers even greater user comfort and protection through the use of a three layer, 19 mm (3/4") thick closed cell foam pad with built-in GEL packs – the ultimate in knee protection!
- Virtually indestructible – built for years of hard work and heavy use
- Specially designed Quick-Snap clips ensure quick and easy removal
- Comes in convenient, reusable mesh bag with one extra Quick-Snap clip
- Pads weigh only 260 g (9 oz.) each



95110



95111

JACKSON SAFETY ULTRA-FLEX KNEE PADS

Product No	Shell Color	Grip Strip	Case Qty/MOQ
95110	Grey	Red	6 pairs
95111	Black	Red	6 pairs

Jackson Safety Ultra-Flex *Gel* Knee Pads

- The Jackson Safety Ultra-Flex Gel Knee Pads offers all of the same legendary features as the Jackson Safety Ultra-Flex pad but has the added advantage of a built in GEL pack for supreme comfort and fit
- This is the ultimate knee pad for extreme applications where users are on their knees for extraordinarily long periods of time
- Unlike many GEL pads on the market, our GEL packs are securely placed inside a three layer, 19 mm (3/4") closed cell foam knee protector compartment and are guaranteed to stay leak-free
- Available with black shells and Hi-Viz orange Grip Strip



 **Special 19 mm foam incorporates a permanent gel pack for ultimate performance and comfort**

JACKSON SAFETY ULTRA-FLEX GEL KNEE PADS

Product No	Shell Color	Grip Strip	Case Qty/MOQ
95211	Black	Hi-Viz Orange	6 pairs

SLIP PROTECTION



COST SAVINGS

Weather related worker injuries are the

#1

cause of Worker's Compensation Claims



TRACTION PERFORMANCE

SureWerx® delivers the most comprehensive range of ice and snow traction aid products, including the original and industry leading K1 Series® mid-sole ice cleat and the Due North® brand of full foot and heel style solutions.

No matter the application, work environment, or type of footwear, we have the depth and breadth necessary to help reduce the risk of slips and falls whether you are at work or play.



End-users can prevent many injuries and save millions by providing ice traction solutions to their employees

FEATURED PRODUCTS

Browse our **traction aids** and **ice cleats** ranging from **mid-sole, heel, all-purpose, heavy duty** and more. All specifically designed for either industrial or recreational use. Products guaranteed to help you get a grip.

TRANSITIONAL TRACTION

Great for situations that require lots of indoor/outdoor transition such as:

Couriers/drivers

Office workers in parking lot

Homecare providers

MID-SOLE



FULL-SOLE

ALL DAY TRACTION

Great for situations that require lots of all day traction such as:

Construction

Rail workers

Mailmen

For more information see our **Slip Protection Booklet** or visit our website www.jacksonsafety.eu

A / Eine / Une Marque / Una Marca / Un Marchio



Brand / Marke

Ordering E-mail EU eusales@surewerx.com

Ordering E-mail UK uksales@surewerx.com

www.surewerx.eu

K1® Traction Aids

K1 SERIES® SG1



K1 Series® SG1 traction aids help prevent slips and falls on wet, oily, greasy, and even soapy surfaces. The full foot design is made with an oil-resistant material and features a unique tread pattern to channel liquids away while simultaneously increasing foot contact with the ground.

- Provides maximum grip on slippery surfaces covered in water, oil, grease, soap, and more
- Special tread pattern channels liquids away while increasing foot contact with the ground
- Tough industrial-grade oil resistant material is durable and made to last
- Synthetic rubber material is comfortable, maintains flexibility, and is easy to clean
- Large toe-box provides a snug yet comfortable fit over your footwear
- Built-in retention strap ensures a secure fit throughout the entire day
- Molded one-piece design allows maximum stretch for an easy fit
- Unique inner lining effectively grips the footwear sole to prevent sliding
- Extended pull tab allows convenient on and off and effortless wearing
- Tread pattern extends beyond the bottom of the foot to account for pronation or changes in gait

Product No	Description	Case Qty/MOQ
V9553510-XS	K1 SG1 Traction Aids - XS	24 pairs
V9553510-S	K1 SG1 Traction Aids - S	24 pairs
V9553510-M	K1 SG1 Traction Aids - M	24 pairs
V9553510-L	K1 SG1 Traction Aids - L	24 pairs
V9553510-XL	K1 SG1 Traction Aids - XL	24 pairs

Sizes:


XS (Men's 3.5-5, Women's 5-6.5)

S (Men's 5.5-7, Women's 7-8.5)

M (Men's 7.5-9, Women's 9-10.5)


L (Men's 9.5-11, Women's 11-13.5)

XL (Men's 11.5-13, Women's 13.5-15)



MAXIMIZE GRIP

Prevent falls on wet, oily, greasy, soapy surfaces



MADE TO LAST
Industrial grade
oil resistant material




HEALTH SAFETY PRODUCTIVITY

Finding a better way

MEGACOMFORT was formed in 2002 as a result of the tremendous need to provide ergonomic solutions which will increase employee health and safety while at the same time be cost-effective.


An innovative work-life wellness company for the workplace, we provide clinically proven and field-tested footwear accessories including patented ergonomic anti-fatigue insoles and orthotics to proactively combat pain and fatigue, while concurrently increasing wearer comfort and productivity.

**NORTH
AMERICA'S
LEADING
ANTI-FATIGUE
SOLUTION**



megacomfort.com

MEGA COMFORT



Personal Anti-Fatigue Mat™ MegaSole™ Personal Anti-Fatigue Mat™ ESD MultiThotic™ PAM Puncture-Resistant PAM Diabetic™ PAM Square-Toe™ ENERGYSOLE™

**SureWerx® is expanding its brand portfolio:
MEGACOMFORT and NEOS OVERSHOE®.**

NEOS OVERSHOES

**CONQUER
THE TERRAIN**



MAXIMUM TRACTION

ALL-WEATHER PROTECTION

NEOS, a SureWerx® brand has been a leader in overshoe products since 1994 as one of the first brands to offer a lightweight solution to providing an extra level of protection, insulation, and traction. Designed to be worn right over your everyday footwear, NEOS overshoes are versatile, easy to pack, and easy to slip on and off. NEOS are made from technically advanced materials to provide durability and performance in the most extreme conditions.




www.footwearspecialties.com/neos



Be Smart. Be Safe. Be Sure.®

VISIT OUR WEBSITE

www.surewerx.eu



OUR TRUSTED BRANDS



SUSTAINABILITY

NEAR-SOURCING
Shorter Supply Chain
Good for the community

BULK TRANSPORT
Efficient Storage and
Space Saving

REDUCING WASTE
Transition from print to mostly
electronic marketing materials

PRODUCT INDEX

Product No	Page
13821 H10 Metal detectable corded	105
13822 H20 Reusable metal detectable corded	105
14200 Maxview Faceshield	89
14201 Maxview Faceshield anti-fog coating	89
14214 Maxview clear replacement window	35, 89
14215 Maxview clear replacement window anti-fog	35, 89
14220 Quad 500 Faceshield	91
14230 Quad 500 Faceshield Flip Shade 5 IR	91
14233 Quad 500 Faceshield Flip Shade 8 IR	91
14250 Quad 500 clear window anti-fog	37, 91
14255 Quad 500 Shade 5 visor	37, 91
14258 Quad 500 Shade 8 visor	37, 91
14260 F4XP Crown & 370 Speed Dial Headgear only	87
14262 F4XP Premium Face Shield (crown, headgear, window)	87
14311 280PL Welding Helmet	47
14752 Wrap-a-round 164B EX medium	77
14753 Wrap-a-round 176B large	77
14754 Wrap-a-round 177B EX large 7'	77
14756 Wrap-a-round 179B EX large 9'	77
14771 Marker standard	74
14772 Adaptor standard	74
14773 Marker jumbo	74
14774 Adaptor jumbo	74
14775 Centering head standard	74
14776 Centering head jumbo	74
14777 Pro-mag level	75
14778 Protractor	75
14779 Pipe flange aligner	76
14780 Radius marker mini	74
14781 Radius marker small	74
14782 Radius marker standard	74
14783 Radius marker jumbo	74
14785 Multi trammel heads	75
14786 Dial angle flange level	75
14795 Flange aligner base	76
14796 Universal level	76
14797 Dial & level	76
14798 Centering pin	76
20693 370 Speed Dial Headgear - for Translight	55, 57, 59, 69
20694 370 Speed Dial Headgear - for Quad 500	69, 91
20695 370 Speed Dial Headgear - for Maxview/F4XP	69, 87, 89
20696 370 Speed Dial Headgear - for Graphic welding helmets	69
21000 GPL500 Goggles, Blue, Clear, anti-fog	93
21001 GPL530 Goggles, Green, Shade 3 IR, anti-fog	93
21002 GPL550 Goggles, Green, Shade 5 IR, anti-fog	93
29058 Face Shield PC window, R type, molded, shade 3, V8B	87
29059 Face Shield PC window, R type, molded, shade 5, V8B	87
29087 Face Shield PC window, B type, molded, clear	87
38423 Hard Hat Interchange System (Quad 500)	91
38424 Hard Hat Interchange System (F4XP, Maxview)	87, 89
40040 AIRMAX+ PAPR with Translight 355 Welding Helmet	23
40041 AIRMAX+ PAPR with Translight Flip 455 Welding Helmet	25
40043 AIRMAX+ PAPR with Translight+ 555 Welding Helmet	27
40100 Translight 355 shell with Face Seal and Airduct	23
40101 Translight Flip 455 shell with Face Seal and Airduct	25
40103 Translight+ 555 shell with Face Seal and Airduct	27
40200 Translight 355 PAPR Face Seal	23
40201 Translight Flip 455 PAPR Face Seal	25
40203 Translight+ 555 PAPR Face Seal	27
40311 AIRMAX+ Pre-filters	21, 23, 25, 27, 29, 31, 33, 35, 37, 39
40312 AIRMAX+ Odour Removing Filter	21, 23, 25, 27, 29, 31, 33, 35, 37, 39
40313 AIRMAX+ Spark arrestor	21, 23, 25, 27, 29, 31, 33, 35, 37, 39
40332 HEPA PAPR filter	21, 23, 25, 27, 29, 31, 33, 35, 37, 39
40340 Airmax+ FR Hose with cover, 85 cm	21, 33, 35, 37, 39
40341 AIRMAX+ FR Hose with cover, 105 cm	23, 25, 27, 29, 31, 39

Product No	Page
40353 AIRMAX+ 4-Cell 7.4V Battery	21, 23, 25, 27, 29, 31, 33, 35, 37, 39
40363 AIRMAX+ PAPR charger	21, 23, 25, 27, 29, 31, 33, 35, 37, 39
40364 AIRMAX 5-Station Battery Charger	40
40365 AIRMAX+ 5-Station Battery Charger	41
40367 Mineral glass Shade 10, 108 x 51 mm	21, 47
40368 FR Backpack for PAPR blower	21, 23, 25, 27, 29, 31, 33, 35, 37, 39
40369 Belt with leather straps/harness	21, 23, 25, 27, 29, 31, 33, 35, 37, 39
40371 AIRMAX+ Waist belt	21, 23, 25, 27, 29, 31, 33, 35, 37, 39
40381 AIRMAX+ blower unit	21, 23, 25, 27, 29, 31, 33, 35, 37, 39
40391 PAPR Carrying Bag	19, 21, 23, 25, 27, 29, 31
40421 AIRMAX+ PAPR with 280 Series Welding Helmet	21
40500 Laser Welding Helmet GDS ADF, absorptive glass-DB7	63
40504 GDS ADF + absorptive glass filter, DB7	66
40508 Aluminium Frame Laser Welding Helmet	63
40509 Outer Cover Lens for Laser Helmet	63
40540 FR Hose cover, 85 cm	21, 33, 35, 37, 39
40593 Premium headgear	31, 63, 69
40595 Sweatband for premium headgear	31, 63, 69
40601 AIRMAX+ with Maxview anti-fog	35
40620 AIRMAX+ with Quad 500	37
40630 AIRMAX+ with Quad 500 Flip Visor Shade 5 IR	37
40633 AIRMAX+ with Quad 500 Face Shield Flip Visor Shade 8 IR	37
46200 Rebel ADF Welding Mask	53, 66
46230 TRANSLIGHT 355 Welding Helmet with ADF, black	55
46240 TRANSLIGHT FLIP 455 Welding Helmet with ADF, black	57
46250 TRANSLIGHT+ 555 Welding Helmet with ADF, black	59
46397 Rebel goggle elastic strap, nuts and bolts	53
46432 Translight 355 Replacement ADF	55, 66
46442 Translight 455 Replacement ADF	57, 66
46452 Translight+ 555 Replacement ADF	59, 66
46600 Rebel Replacement FR Hood	53
46640 Translight Flip 455 Face Shield Replacement Window	57
46914 Translight 455 Internal Safety Plates	55, 57
46915 Translight+ 555 Internal Safety Plates (Pack of 10)	59
46923 Translight 355/455 External Safety Plates	55, 57
46925 Translight+ 555 External Safety Plates	59
46930 Rebel Replacement Lens Kit	53
46991 Translight Flip Spring Replacement Mechanism Kit	57
46992 Translight Flip 455 Nuts and bolts	57
46993 Translight 355 Lens retainer	55
46995 Translight+ 555 Replacement Retainer	59
46996 Translight+ 555 Darkening hood	59
46998 370 Replacement Shaft & Knob repair kit	55, 57, 59, 61, 87, 89
47001 Maxview (A/F) PAPR Complete Head Top	35
47010 Translight 355 PAPR helmet with ADF	23
47011 Translight Flip 455 PAPR helmet with ADF	25
47013 Translight+ 555 PAPR helmet with ADF	27
47020 Quad 500/Clear PAPR Complete Head Top	37
47030 Quad 500/Shade 5 PAPR Complete Head Top	37
47033 Quad 500/Shade 8 PAPR Complete Head Top	37
47421 280 Series PAPR Complete Head Top	21
50000 Jackson SG, clear, anti-scratch	97
50001 Jackson SG, clear, anti-fog	97
50002 Jackson SG, amber, anti-scratch	97
50003 Jackson SG, amber, anti-fog	97
50004 Jackson SG, I/O, anti-scratch	97
50005 Jackson SG, Blue Shield, anti-scratch	97
50006 Jackson SG, Smoke Mirror, anti-scratch	97
50007 Jackson SG, Smoke Mirror, anti-fog	97
50008 Jackson SG, IR 3	97
50009 Jackson SG, Blue Mirror, anti-scratch	97
50010 Jackson SG, IR 5	97
50040 Jackson SG, readers 1.5	97
50041 Jackson SG, readers 2.0	97
50042 Jackson SG, readers 2.5	97

PRODUCT INDEX

Product No	Page
50099 JACKSON Microfiber bag for Safety Glasses	97
67212 H10 Disposable earplugs corded	105
67220 H20 Reusable earplugs uncorded	105
95110 Jackson Ultra-Flex Knee Pads, grey	107
95111 Jackson Ultra-Flex Knee Pads, black	107
95211 Jackson Ultra-Flex Gel Knee Pads, black	107
J1858 Wrap-a-round 164B EX medium	77
J1859 Wrap-a-round 176B large	77
J1860 Wrap-a-round 177B EX large 7'	77
J1861 Wrap-a-round 179B EX large 9'	77
J1863 Wrap-a-round 100 meters roll (12,7cm x 100m)	77
J1864 Wrap-a-round 100 meters roll (17,8cm x 100m)	77
J1865 Wrap-a-round 17,8 cm x 4,5 m roll	77
J1874 Marker standard	74
J1875 Adaptor standard	74
J1877 Marker jumbo	74
J1878 Adaptor jumbo	74
J1879 Centering head standard	74
J1880 Centering head jumbo	74
J1881 Pro-mag level	75
J1882 Protractor	75
J1883 Pipe flange aligner	76
J1884 Radius marker mini	74
J1885 Radius marker small	74
J1886 Radius marker standard	74
J1887 Radius marker jumbo	74
J1890 Multi trammel heads	75
J1891 Dial angle flange level	75
J1903 Flange aligner base	76
J1904 Universal level	76
J1905 Dial & level	76
J1906 Centering pin	76
J1979 PipePro Centering head AL medium	73
J1980 PipePro Centering head AL large	73
J1981 PipePro Aluminum level	73
J1982 PipePro Flange Aligner Tool	73
J2711 Welding Blankets Uncoated Fiberglas, 1x1m	71
J2712 Welding Blankets Uncoated Fiberglas, 1x2m	71
J2713 Welding Blankets Uncoated Fiberglas, 2x2m	71
J2714 Welding Blankets Uncoated Fiberglas, 3x2m	71
J2715 Welding Blankets Uncoated Fiberglas, 1x25m	71
J2716 Welding Blankets Fiberglass PU Coated, 1x1m	71
J2717 Welding Blankets Fiberglass PU Coated, 1x2m	71
J2718 Welding Blankets Fiberglass PU Coated, 2x2m	71
J2719 Welding Blankets Fiberglass PU Coated, 2x3m	71
J2720 Welding Blankets Fiberglass PU Coated, 1x25m	71
J2721 Welding Blankets Fiberglass Vermiculite, 1x1m	71
J2722 Welding Blankets Fiberglass Vermiculite, 2x1m	71
J2723 Welding Blankets Fiberglass Vermiculite, 2x2m	71
J2724 Welding Blankets Fiberglass Vermiculite, 3x2m	71
J2725 Welding Blankets Fiberglass Vermiculite, 1x25m	71
J2726 Welding Blankets Silica Uncoated, 1x1m	71
J2727 Welding Blankets Silica Uncoated, 1x2m	71
J2728 Welding Blankets Silica Uncoated, 2x2m	71
J2729 Welding Blankets Silica Uncoated, 3x2m	71
J2730 Welding Blankets Silica Uncoated, 1x25m	71
J5229 WH70 BH3 AIR PAPR for EXT ADF	29
J5234 Hard hat adaptor set	55, 57, 59, 61
J5237 370 sweat band	23, 25, 27, 29, 35, 37, 55, 57, 59, 61, 69, 87, 89, 91
J5241 PAPR FR Hose Cover	19, 23, 25, 27, 29, 31, 39
J5243 Hard hat sweat band	61
J5244 Face seal for Maxview and Quad 500	35, 37
J5250 Face Seal for 280 Series	21
J5251 F50 Visor Face Seal	33
J5252 F50 Visor Lens	33

Product No	Page
J5260 PAPR Headgear for 280 Series	21
J5462 F50 PAPR Sweat Band	33
J7050 AIRMAX PAPR System with Duo Welding Helmet 4/9-13 ADF	19
J7051 WH25 DUO PAPR Welding Helmet with 4/9-13 ADF	19
J7060 WH25 DUO PAPR Sweatband	19
J7061 WH25 DUO PAPR Faceseal	19
J7062 WH25 DUO PAPR Head Gear	19
J7063 AIRMAX Welding PAPR FR Hose & Cover	19
J7064 Hose without cover, 85 cm	39
J7065 AIRMAX Welding PAPR Motor	19
J7067 AIRMAX Welding PAPR Charger	17, 19
J7068 AIRMAX Welding PAPR 4C Battery	17, 19
J7069 AIRMAX Welding PAPR Waist Belt	17, 19
J7101 WH25 DUO Welding Helmet with 4/9-13 ADF	51
J7172 WH25 DUO ADF Cradle	51
J7174 WH25 DUO Welding Head Gear Pro	51
J7175 WH25 DUO Sweat Band Pro	51
J7176 WH25 DUO Front Cover Lens	51
J7177 WH25 DUO Inner Cover Lens	51
J7180 DUO ADF 4/9-13	51, 66
J7210 AIRMAX Welding P3 PAPR Filter	17, 19
J7260 PAPR Head Gear	21, 33
J7261 F50 PAPR Face Shield	33
J7265 AIRMAX+ with F50 Face Shield	33
J8049 WH20 ASPIRE Welding Helmet with WF20 4/9-13 EXT ADF	49
J8302 Inner lens 107x51mm	47, 49
J8319 Outer lens 115x104mm	49
J8370 WH20 Aspire Head gear with sweatband	49
J8570 375 head gear for WH70	23, 25, 27, 29, 61, 69
J8571 PAPR 370 Headgear for Maxview	35, 69
J8572 PAPR 370 Headgear for Quad 500	37, 69
J9913 WH70 Replacement shell for EXT ADF	61
J9916 WH70 Welding Helmet with Grand GDS ADF	61
J9927 WF70 GDS ADF	66
J9931 Outer lens 147x125mm	61
J9932 Inner lens 107.5x71.5mm	61
J9933 WH70 Flexi face seal	29, 31
J9934 WH70 Washer set	29, 31, 61, 63
J9935 Hose holder	29
J9936 Mag lens holder	61
S28311 280 Series Welding Helmet MG 10, silver - lift front	47
S72000 XP410 glasses, clear, HC/AF	99
S72001 XP410 glasses, smoke, HC/AF	99
S72300 XP450 glasses, clear, HC/AF	99
S72301 XP450 glasses, smoke, HC/AF	99
S72400 XP460 glasses, clear, HC/AF	99
S72401 XP460 glasses, smoke, HC/AF	99
S80200 Odyssey II Series Industrial Dual Lens Goggle	95
S80201 Odyssey II Series Chemical Splash Dual Lens Goggle	95
S80210 Odyssey II Series Shade 5 Cutting Goggle	95
S80231 Odyssey II Series Clean Room Goggle	95
TCG75B Arc Flash Suit Kit (75 cal/cm2)	82
TCG-EU-G1-024 Replacement Arc Flash Face Shield, Class 1	80
TCG-EU-G1-026AF Replace. Arc Flash Face Shield, Anti-Scratch/Fog, Class 1	80
TCG-EU-G1-124A80 Arc Flash Face Shield Kit, A8, Class 1	80
TCG-EU-G1-124R Arc Flash Face Shield Kit, Class 1	80
TCG-EU-G1-126AFA80 Arc Flash Face Shield Kit, Anti-Scratch/Fog, A8, Class 1	80
TCG-EU-G1-126AFR Arc Flash Face Shield Kit, Anti-Scratch, Anti-Fog, Class 1	80
TCG-EU-G1-126R Arc Flash Face Shield Kit, Anti-Scratch, Class 1	80
TCG-EU-G2-K25A4 Arc Flash Face Shield Kit, A4 (25 cal/cm2)	81
TCG-EU-G2-K25A8 Arc Flash Face Shield Kit, A8 (25 cal/cm2)	81
TCG-EU-G2-K25 Arc Flash Face Shield Kit (25 cal/cm2)	81
TCG-EU-G2-K25WBA Arc Flash Face Shield Kit, WBA (25 cal/cm2)	81
V9553510 K1 SG1 Traction Aids	109

WARRANTY TABLE

At Surewex, servicing our customers is our #1 Priority. This is why we have put together one of the most comprehensive and user-friendly Warranty Programs in the industry. Simply, we stand by our products and craftsmanship behind them.

In the event our end users are experiencing difficulties with our products, we recommend completing all of the trouble shooting options first, before we diagnose and complete the warranty process.

Common Issues with Welding Helmets Not Working

Scenario 1: Problems after end user changes environments

Solution: Adjust Delay/Sensitivity Setting on the Helmet.

Note: BH3 models work differently than our other ADFs, in that you turn sensitivity all the way up before adjusting, whereas other helmets start at 0.

Scenario 2: Helmet Sensors are not functioning properly

Solution: Check sensors, clear from any slag or debris. Also make sure you are welding in an unhindered environment

Scenario 3: Auto-darkening slow or not working properly

Solution: Check and replace batteries

Scenario 4: Filter not darkening properly, and there are issues with visibility, or spatter

Solution: Change external and internal safety plate

Scenario 5: Filter remains dark after completing a weld

Solution: Ambient light is too bright and user needs to adjust delay

Scenario 6: Helmet is giving off light flashes

Solution: Typically caused from low batteries. Try to replace batteries, and for the solar components, this occasionally happens when stored in a dark environment. Place helmet outdoors facing sunlight to recharge, and try to store in a brighter environment.

If the end user has been unsuccessful trouble shooting, they should contact the distributor/company they purchased from for warranty claim assistance before contacting Surewex directly.

Surewex honors warranty claims on welding helmets listed in the event of a defect within the warranty coverage time frame.

Warranty coverage begins from the date of purchase for the end user.

If unable to resolve with your distributor/company product was purchased from, customer may email our customer service team sales@jacksonsafety.eu, with the following:

*Completed Surewex Warranty Claim Form
Attached Proof of Purchase*

We want to make sure all attempts at troubleshooting have been used before conducting the claim process.

Once claim has been submitted, and product is determined to be defective under warranty, a replacement part or unit will be sent.

We ask that you send the defective product here for further evaluation:

SureWex UK Ltd.

PO Box 18759

Solihull

England

B93 3NA

UK

If you have further questions, you may reach out to customer service at:

info@surewex.eu

Product	Years
---------	-------

ADFs

Duo ADF	1
Translight 355 ADF	3
Translight 455 ADF	3
Translight 555 ADF	3
Rebel ADF	2
WF20 ES ADF	1
WF70 DS 4/9-13 ADF	3
WF70 ES 4/9-13 ADF	3
WF70 GDS 4/6-8/9-13 ADF	3
Graphic Helmets ADFs	2

WELDING HELMETS

Helmet Shells	3
---------------	---

PAPR SYSTEMS

AIRMAX	
Blower Unit	1,5
Battery	1

AIRMAX+	
Blower Unit	1,5
Battery	1

AIRMAX ELITE	
Blower Unit	1,5
Battery	1

PPE

PPE	1
-----	---

STANDARD TERMS & CONDITIONS OF SALE

SUREWERX UK LIMITED

1. General

"Jackson Safety" and "Fall Safe": "we", "us" are trading names of SureWerx UK Limited, ("SW") a limited liability company registered in UK and trading as Jackson Safety and Fall Safe, with a registered office located at C/O French Ludlam & Co Limited, 661 High Street, Kingswinford, West Midlands, DY6 8AL, UK. "Buyer": The legal entity to whom we supply goods (collectively "Products") of any kind. Except insofar as otherwise explicitly agreed in writing between SureWerx UK Limited and the Buyer, these Standard Terms & Conditions (the "Conditions") will apply to all transactions between SW and the Buyer, whether this is done in writing, via the internet, electronically or verbally (each a "Contract").

2. Shipment agreements

2.1 An agreement with SW to supply Products is only established when SW has confirmed in writing a Buyer purchase order within 8 days following its receipt. Any amendments must be confirmed in writing by SW.

2.2 Any purchase order not confirmed in writing by SW shall be null and void.

3. Terms of delivery and transportation

3.1 The method of transport shall be determined by SW if not specified by the Buyer. For certain destinations SW may require the buyer to arrange their own transportation on an ex-works basis, SW will make the Buyer aware of this in advance of any order being agreed. Any specific requirements of the Buyer on the transport and shipment will only be performed if the Buyer has declared that it will bear the additional costs.

4. Time of delivery

4.1 The periods stated for delivery are not binding and are only target dates. Failure to meet the requested time of delivery does not in any event, provide grounds for the cancellation of an order or agreement, nor does it entitle the Buyer to any kind of compensation. We explicitly reserve the right to deliver by instalments, each of which will qualify as partial sale. The delivery of an order by instalments cannot in any event justify the refusal to pay for the Products supplied. Any liability on the part of SW for failure or delay in delivery is hereby excluded.

5. Liability

5.1 In the event that the Products supplied are damaged or incomplete, or in the event of any error, missing piece or any other type of irregularity, the Buyer is obliged to refuse the Products on delivery or to only accept them subject to a written reservation. Every complaint relating to the Products as delivered must be sent to us in writing within 5 working days as from the receipt, with a reference to the bill of lading. After that period, the Products will be deemed to have been finally accepted by the Buyer. No goods may be returned without prior written permission from SW. Such permission will not in any way imply that the Products have been acknowledged by SW as being damaged. Goods being returned, in whatever way they are being sent, remain at the Buyer's risk and will be sent to our warehouse, carriage free.

5.2 SW shall not be liable for or responsible for any defect or other claim which arises from (i) normal wear and tear, misuse, negligence, accident, abuse, use not in accordance with standards of proper practice or normal usage conditions set out in the catalogues, manuals or handbooks supplied by SW, modification or alteration not authorized in writing by SW, or use in conjunction with a third party product, or (ii) Buyer's negligence, or (iii) the breach of Buyer's obligations under this Agreement.

6. Delivery and risks

6.1 Where goods travel on an ex works basis delivery is regarded as being complete on the moment of departure from our warehouse

loading dock. It is the Buyer's responsibility to ensure adequate insurance is in place to cover the transit risk. The risk of loss, damage or destruction of the goods to be supplied by SW is borne by the Buyer from the moment that these goods are collected in accordance with this article.

6.2 Where SW arranges the transportation it is the Buyer's responsibility to ensure that the goods are inspected upon receipt and that SW are notified of any shortages or damages within 24 hours, together with supporting photographic evidence. SW will not accept liability to make good any missing or damaged product if this is not the case.

7. Force majeure and hardship

7.1 All delivery and other obligations of SW will be suspended in the event of force majeure. In such cases, SW is only obliged to deliver or perform its obligations to the extent possible. 'Force majeure' includes the following, although this is not an exhaustive list: war, mobilization of troops, embargo, partial or complete strike, lock-out, riot, epidemics, natural disasters, import and export restrictions, machinery failure, staff sickness, fire, explosion, accidents of any kind and any cause hampering the normal supply by our suppliers of raw materials, fuels and inventory for our normal production, transportation or dispatch, as well as all similar circumstances affecting SW, its subcontractors or suppliers.

8. Re-sale

8.1 The Buyer may only re-sell the Products in their original packaging, without modification.

9. Payments

9.1 All amounts due to SW are payable within 30 days as from the invoice date, without discount, deduction or offset.

9.2 SW retains legal title to all Products until settlement has been received in full for the associated Sales Invoice. In the event of non-payment or insolvency SW, or its agents, reserve the right to enter the Buyer's premises, without notice, to recover the Products.

10. Compliance with Laws

10.1 Buyer shall comply with all laws and regulations applicable to the storage, use, handling, installation, registration and labelling of all Products as from their delivery and the disposal of all wastes and residues (including packaging) resulting from your use of the Products.

11. Privacy

11.1 Buyer agrees that SW and entities related with it may collect, store and use Buyer data, including personal data, for the purpose of facilitating its marketing and sale of the Products, and Buyer hereby consents to such collection, storage and use of Buyer data by SW and entities related with it for these purposes.

12. Miscellaneous

12.1 Any provision in these Conditions which is void or inapplicable shall have no effect on the validity of the other provisions. Any invalid clause will be replaced by another one that is appropriate.

12.2 SW may carry out its obligations under the Contract through any agents or sub-contractors appointed by it in its absolute discretion.

13. Applicable law

13.1 All Contracts are deemed executed at the registered office of SW in UK and are governed by the laws of England and Wales. Any dispute concerning the interpretation, implementation and cancellation of the present agreement which cannot be settled amicably will be resolved exclusively by the Courts of England. SW may also introduce any proceedings before the courts of the residence of a debtor. The Vienna Sales Convention does not apply.

JACKSON[®]
SAFETY

sellstrom[®]

FS
FALL SAFE[®]

OBERON[™]

CURV-0-MARK[®]

dn
duenorth

K1
SERIES

NEOS

MEGA
COMFORT



www.surewerx.eu



Follow us on Social Media
SureWerx Europe

USA: SureWerx USA Inc.,
325 Corporate Drive,
Elgin, IL, USA 60123
surewerx.com/usa

Canada: SureWerx,
49 Schooner St.,
Coquitlam, BC V3K 0B3
surewerx.com/ca

Europe: SureWerx,
Zona Industrial da Varziela, Rua B,
Lote 54, 4480-620 Vila do Conde, PT
surewerx.eu

UK: SureWerx UK Ltd.,
PO Box 18759, Solihull,
England, B93 3NA, UK
surewerx.eu



SureWerx[®]

Be Smart. Be Safe. Be Sure.[®]



Price 20€ J2021-1 EN 01-2026